

ユーマシンタイニュース

U-MACHINE (THAILAND) NEWS

11²⁰¹⁸月号

[NOVEMBER]

工場設備の売却についても、是非ご相談ください。



No. 1 マシニングセンター
ブラザー / TC-R2A / 2006年製



No. 4 旋盤
津田製作所 / TSL-860



No. 15 フライス盤
大隈豊和機械 / STM-2R / 1984年製



No. 37 ワイヤークット
牧野フライス製作所 / DUO64C2 / 2011年製



No. 44 バンドソー
アマダ / HA250W / 2014年製



No. 75 コンプレッサー
コベルコ / SG395AMII-22 / 2014年製

Company Profile

U-MACHINE (THAILAND) CO., LTD.

Established : February 29, 2012

Capital : 10 Million Baht

Representative

Mr. Hiroyuki Kawai, President

Share Holders

- ❖ U-MACHINE, Inc.
- ❖ Bangkok Mitsubishi UFJ Lease Co., Ltd.
- ❖ MUFG Bank, Ltd.

Major Business Areas

- ❖ Purchase and sale of the used-machine tools.
- ❖ Appraisal the used- machinery.
- ❖ Purchase of the idle machinery and reuse marketing service.

Main Product Lines

Machine Tools

- Machining Center
- Milling Machine
- Lathe Machine
- Grinding Machine
- Wire Cutting, EDM
- Drilling Machine
- And more

Press machine

- Hydraulic Press
- Mechanical Press
- Press Brake
- Bending Machine
- Sawing Machine
- Shearing Machine
- And more

Injection Molding Machines

- Plastics Injection Molding Machine
- Die casting Machine
- Extrusion Machine
- Blow Molding Machine
- And more

* Any Manufacturers are acceptable

U-MACHINE, Inc. (AFFILIATED COMPANY)

Head Office

- ❖ 22-24, Marunouchi 3-chome, Naka-ku, Nagoya, Aichi 460-0002 Japan

Tokyo Business Department

- ❖ 9-2, Ootemachi 1-chome, Chiyoda-ku, Tokyo 100-0004 Japan

Osaka Business Department

- ❖ 1-1, Fushimicho 4-chome, Chuuou-ku, Osaka, Osaka 541-0044 Japan

Resource Center

- ❖ Miyosh-shi, AICHI
- ❖ Sakado-shi, SAITAMA
- ❖ Kato-shi, HYOGO

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
マシニングセンター									
1		マシニングセンター	ブラザー	2006	TC-R2A	CNC-A00, ATC14本, BT30 回転数: 10000rpm テーブル: 500x320mm ストローク(XYZ): 420x320x270mm 2APC S/N: 111844	1	¥ 1,300,000	SP
2		マシニングセンター	ブラザー	2006	TC-R2A	CNC-A00, ATC14本, BT30 回転数: 10000rpm テーブル: 500x300mm ストローク(XYZ): 420x320x270mm 2APC S/N: 111857	1	¥ 1,300,000	SP
旋盤									
3		旋盤	津田製作所	-	APOC-600 x 2000	チャックサイズ: 12" 回転数: 17-1200rpm チャック: 3 JAW ワークサイズ: 600x2000mm.	1	¥ 530,000	SP
4		旋盤	津田製作所	-	TSL-860	チャックサイズ: 9" 回転数: 44-1500rpm チャック: 3 JAW ワークサイズ: 480x860mm.	1	¥ 410,000	SP
5		旋盤	ワシノ機械	1970	LE-19J	チャックサイズ: 12" 回転数: 50-1500rpm チャック: 4 JAW ワークサイズ: 480x800mm.	1	¥ 350,000	SP
6		旋盤	大隈	1958	LS	チャックサイズ: 12" 回転数: 35-1800rpm チャック: 4 JAW ワークサイズ: 480x860mm.	1	¥ 350,000	SP
7		旋盤	ヤマザキマザック	1990	MATE-570S	チャックサイズ: 7" 回転数: 76-2000rpm チャック: 3 JAW ワークサイズ: 360x570mm. S/N: 81247	1	¥ 350,000	SP
8		旋盤	ヤマザキマザック	1990	MATE-570S	チャックサイズ: 7" 回転数: 76-2000rpm チャック: 3 JAW ワークサイズ: 360x570mm. S/N: 81248	1	¥ 350,000	SP
9		旋盤	ヤマザキマザック	1990	MATE-570S	チャックサイズ: 7" 回転数: 76-2000rpm チャック: 3 JAW ワークサイズ: 360x570mm. S/N: 81250	1	¥ 350,000	SP
NC旋盤									
10		CNC旋盤	中村留精密工業	1993	TMC15	NC: FANUC ツール: 8 回転数: 4500 rpm チャックサイズ: 6" 振り: 300 mm ストローク(XZ): 120x270 mm.	1	¥ 340,000	SP
11		NC旋盤	エグロ	1992	NUCLET-10GL	FANUC SERIES 0-T, チャックサイズ: 4" テーブル: 550x180mm 回転数: 5,000rpm ストローク(X, Z): 260x250mm 加工寸法: 350x200mm	1	¥ 150,000	SP
フライス盤									
12		フライス盤	日立精工	1986	2MW	テーブル: 1350x310 mm. 回転数: 60-1800 rpm ストローク: 710x300x400 mm. NT50	1	¥ 450,000	SP
13		フライス盤	広岡	1988	2MF-V	テーブル: 1300x290 mm. 回転数: 60-1800 rpm ストローク: 710x250x400 mm. NT50 デジタリスケール付: 2軸	1	¥ 230,000	SP
14		フライス盤	牧野フライス製作所	1983	KGJ	テーブル: 1100x250 mm. 回転数: 130-2200 rpm ストローク: 550x250x350 mm. NT40 デジタリスケール付: 2軸	1	¥ 230,000	SP
15		フライス盤	大隈豊和機械	1984	STM-2R	テーブル: 1350x310mm. NT40 回転数: 100-3600rpm ストローク: 710x300x400mm. ライナースケール: X, Y, Z 自動: X, Z	1	¥ 440,000	SP
16		横型フライス盤	日立精工	1972	2MM	テーブル: 1350x310mm 回転数: 60-1800rpm ストローク: 710x300x450mm	1	¥ 150,000	SP
17		横型フライス盤	エンシュウ	1989	HF2	切断機仕様 マルチテ多数付 回転数: 68-1760rpm テーブル: 1350x270mm ストローク: 750x270x450mm デジタリスケール付: X/Y/Z	1	¥ 250,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
研削盤									
18		万能工具研削盤	牧野フライス精機	1973	C-40	テーブル: 135x940mm. 工具径 x 工具長: $\phi 250 \times 400$ mm. 回転数: 2820, 3450rpm	1	¥ 410,000	SP
19		平面研削盤	岡本工作機械製作所	2012	ACC-126EX	FANUC Oi-MB 電磁チャック: 1200 x 600 mm. 砥石回転数: 2400 rpm. 砥石寸法(外径×幅×内径): 510 x 50 x 127 mm. ストローク: 1450 x 660 x 575 mm. S/N: 1605	1	¥ 3,600,000	SP
20		平面研削盤	長島精工	1997	NP840-F	電磁チャック: 800x400mm ストローク: 800x450mm 砥石寸法(外径×幅×内径): $\phi 305 \times 32 \times \phi 76.2$ マグネットレター, 高速度スケール2軸 (0.1 μ) 付 砥石回転数: 3600rpm	1	¥ 980,000	SP
21		平面研削盤	三井ハイテック	1989	MSG-250H1	電磁チャック: 400x200mm ストローク: 520x260x220 砥石: $\phi 205 \times 20$ 砥石回転数: 2000 rpm デジタル2軸付	1	¥ 220,000	SP
22		成形研削盤	岡本工作機械製作所	2005	ACC52EXB	NC: FANUC 21-GA 可傾式電磁チャック: 500x200mm 砥石回転数: 3600rpm 砥石: $\phi 205 \times 19 \times \phi 50.8$ mm テーブル: 550x200mm ストローク: 650x230mm S/N: 72059	1	¥ 570,000	SP
23		成形研削盤	岡本工作機械製作所	2005	ACC52EXB	NC: FANUC 21-GA 可傾式電磁チャック: 500x200mm 砥石回転数: 3600rpm 砥石: $\phi 205 \times 19 \times \phi 50.8$ mm テーブル: 550x200mm ストローク: 650x230mm S/N: 72062	1	¥ 570,000	SP
24		成形研削盤	岡本工作機械製作所	2004	ACC52EXB	NC: FANUC 21-GA 可傾式電磁チャック: 500x200mm 砥石回転数: 3600rpm 砥石: $\phi 205 \times 19 \times \phi 50.8$ mm テーブル: 550x200mm ストローク: 650x230mm S/N: 72046	1	¥ 550,000	SP
25		成形研削盤	岡本工作機械製作所	2004	ACC52EXB	NC: FANUC 21-GA 可傾式電磁チャック: 500x200mm 砥石回転数: 3600rpm 砥石: $\phi 205 \times 19 \times \phi 50.8$ mm テーブル: 550x200mm ストローク: 650x230mm S/N: 72049	1	¥ 550,000	SP
26		成形研削盤	ニッコー	1977	NFG-515	可傾式電磁チャック: 230x130mm ストローク 540x180 デジタルスケール2軸付 砥石回転数: 3000 rpm	1	¥ 120,000	SP
27		成形研削盤	ニッコー	1976	NFG-515	可傾式電磁チャック: 320x110mm ストローク 540x180 デジタルスケール2軸付 3000 rpm	1	¥ 115,000	SP
28		ドリル研削盤	藤田製作所	2004	DG20FX	研削範囲: $\phi 3-20 \times 230$ mm. 先端角: 115-150° 天頂角: 0-50°	1	¥ 145,000	SP
29		ドリル研削盤	オーエスジー	2006	RDG-32S	研削範囲: $\phi 10-\phi 32$ 先端角: 118°-150° 研削ドリル全長範囲50-300mm 全自動	1	¥ 400,000	SP
30		両頭グラインダー	日立精工	-	GBT4	砥石回転数: 3,000rpm 砥石寸法: 205x19x15.88 mm	1	¥ 8,000	SP
ボール盤									
31		ボール盤	吉田	-	YUD-540	テーブル: $\phi 510$ mm. 回転数: 75-1525 rpm ストローク: 220 mm.	1	¥ 115,000	SP
32		横中ぐり盤	東芝機械	1992	BZ-8	テーブル: 1050x900mm ストローク: 1000x800x700mm 27~1000 rpm 主軸直径: 80mm テーブル回転型	1	¥ 680,000	SP
33		ボール盤	キラ・コーポレーション	-	KRDG-420P	テーブル: $\phi 370, 170-1750$ rpm S/N: M780545	1	¥ 32,000	SP
34		ボール盤	吉田	-	YBD-420B	テーブル: 310x310, 310-2500rpm モーター: 0.4kW	1	¥ 20,000	SP
35		ボール盤	キラ・コーポレーション	-	NSD-340	テーブル: 240x240, 415-2300rpm モーター: 0.25kW	1	¥ 30,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
工具・その他									
36		研磨機	FEMI	2012	33N	200x20x16mm 2950rpm	1	¥ 8,000	SP
ワイヤーカット・放電加工機									
37		ワイヤーカット	牧野フライス製作所	2011	DUO64C2	MGW-56 テーブル：910x660mm ストローク(XYZUV)：650x400x420x±101x±101mm 加工寸法：1070x855mm	1	¥ 2,200,000	SP
38		ワイヤーカット	ソディック	2002	AQ550L	LN1W 自動結線 テーブル加工 テーブル：800x500mm ストローク(XYZUV)：550x350x320x130x130mm 最大加工物寸法：750x600x310mm ワイヤ径：φ0.15 - φ0.3mm	1	¥ 1,350,000	SP
プレス									
39		プレスブレーキ	相澤鐵工所	1993	AP-L5513	55 t x 1300mm パッケージ ストローク長：150mm ギャップ深さ：410mm レーザー式安全装置(DSP LASER-J-RX)付	1	¥ 580,000	SP
40		プレス	金豊	2009	OCP-45	45t, 9ノット：240 mm ライド調節量：60 mm スライド寸法：560x300 mm ストローク：40-100 spm ストローク長：80 mm スライド寸法：850x440 mm S/N：A90574	1	¥ 300,000	SP
41		プレス	金豊	2009	OCP-45	45t, 9ノット：240 mm ライド調節量：60 mm スライド寸法：560x300 mm ストローク：40-100 spm ストローク長：80 mm スライド寸法：850x440 mm S/N：A90576	1	¥ 300,000	SP
42		プレス	金豊	2009	OCP-45	45t, 9ノット：240 mm ライド調節量：60 mm スライド寸法：560x300 mm ストローク：40-100 spm ストローク長：80 mm スライド寸法：850x440 mm S/N：A90577	1	¥ 300,000	SP
43		プレスブレーキ	アマダ	2005	SPH-30C	加圧能力：30t 折り曲げ長さ：400mm フレームギャップ深さ：510mm 最大ストローク長：100mm モーター馬力：2.2kW マイクロストップ付	1	¥ 350,000	SP
切断機									
44		バンドソー	アマダ	2014	HA250W	切断能力：30x250mm(矩形) ブレード寸法(長さx幅x厚さ)：3,505x34x1.1mm ブレード速度(m/min)：24-90m/min(60Hz)	1	¥ 960,000	SP
射出成形機 電動									
45		射出成形機	東洋機械金属	2003	Si-100III-D150	型締力：100t スクリュー径：φ28 総ショット数：7300529 稼働時間：56662 h S/N：1325048	1	¥ 700,000	SP
46		射出成形機	東洋機械金属	2003	Si-100III-D150	型締力：100t スクリュー径：φ28 総ショット数：6395320 稼働時間：53131 h S/N：1325055	1	¥ 700,000	SP
47		射出成形機	東洋機械金属	2007	Si-50IV-D75B	型締力：50t スクリュー径：φ24 総ショット数：964919 稼働時間：19944 h	1	¥ 850,000	SP
48		射出成形機	日精樹脂工業	2004	ES400	型締力：40t スクリュー径：φ26 総ショット数：716304 稼働時間：8710 h S/N：H04Y080	1	¥ 350,000	SP
49		射出成形機	日精樹脂工業	2003	ES400	型締力：40t スクリュー径：φ26 総ショット数：742079 稼働時間：8847 h S/N：H04Y076	1	¥ 320,000	SP
50		射出成形機	ファナック	2007	S-2000i30B	型締力：30t スクリュー径：φ18 取出機付：1-ツ製YA-30DL, 2007年製 総ショット数：12019946 稼働時間：39606 h	1	¥ 1,000,000	SP
51		射出成形機	東洋機械金属	1998	Si-30	型締力：30t 総ショット数：17229268 稼働時間：117635 h	1	¥ 150,000	SP
52		射出成形機 (ハイブリッド)	ソディック	2003	TR20EH	型締力：20t 総ショット数：18300334 稼働時間：55807 h	1	¥ 300,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
射出成形機 電動									
53		縦型射出成形機	ニイガタマシンテクノ	2000	MDV50ST	型締力: 50t スクリュー径: Ø24 総ショット数: 9201719 稼働時間: 120802 h S/N: 81522V	1	¥ 350,000	SP
54		縦型射出成形機	ニイガタマシンテクノ	2000	MDV50ST	型締力: 50t スクリュー径: Ø24 総ショット数: 9789649 稼働時間: 127106 h S/N: 81512V	1	¥ 350,000	SP
55		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7t スクリュー径: 14 mm. コントロール: NC21 総ショット数: 6095542 S/N: G00111004K1	1	¥ 450,000	SP
56		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7 TON スクリュー径: 14 mm. コントロール: NC21 総ショット数: 4067440 S/N: G00111003K2	1	¥ 450,000	SP
57		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7 TON スクリュー径: 14 mm. コントロール: NC21 総ショット数: 5410654 S/N: G00111005K3	1	¥ 450,000	SP
58		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7 TON スクリュー径: 14 mm. コントロール: NC21 総ショット数: 5175071 S/N: G00111004K2	1	¥ 450,000	SP
射出成形機 油圧									
59		射出成形機	川口鉄工	1996	KM180B2	型締力: 180t	1	¥ 500,000	SM
60		射出成形機	日本製鋼所	1991	J150E	型締力: 150t	1	¥ 250,000	SM
61		射出成形機	東洋機械金属	1996	TI-50H	型締力: 50t	1	¥ 180,000	SM
62		射出成形機	東洋機械金属	1996	TI-30H	型締力: 30t	1	¥ 120,000	SM
成形機用周辺機器									
63		粒断機	ハーモ	2016	GM II-C750t	主ユニット: 246X246 MM. ホッパー: 246X285 mm. 回転刃: Ø176 mm. モーター: 0.75 kW.	1	¥ 280,000	SP
64		除湿乾燥機	シュトルツ	2003	NS-100	100 kg 乾燥能力: 35.0kg/h	1	¥ 200,000	SP
65		金型温度調節機	松井製作所	2012	GMCL-55A	媒体: 水 最高使用温度: 95°C モーター: 0.6kW ヒーター: 5.0kW ※新古品	2	¥ 70,000	SP
66		金型温度調節機	松井製作所	2005	GMCL-25T	媒体: 水 最高使用温度 95°C モーター: 0.3kW ヒーター: 3.0kW	1	¥ 14,000	SP
67		金型温度調節機	松井製作所	2005	GMCL-25T-OM	媒体: 水 最高使用温度 95°C モーター: 0.3kW ヒーター: 3.0kW	1	¥ 14,000	SP
68		金型温度調節機	松井製作所	2003	GMCL-25T-OM	媒体: 水 最高使用温度 95°C モーター: 0.3kW ヒーター: 3.0kW S/N: 200308172, 200308182	2	¥ 12,000	SP
69		金型温度調節機	カワタ	2002	TWF-75LD	媒体: 水 最高使用温度 95°C モーター: 0.15kW ヒーター: 5.0kW	1	¥ 12,000	SP
70		材料タンク	-	-	-	タンク寸法: Ø42X70cm	1	¥ 22,000	SP
71		材料タンク	-	-	-	タンク寸法: Ø42X70cm	1	¥ 25,000	SP
72		エアロパワーホッパー	松井製作所	2012	APH-1-OM	容量: 1 L	1	¥ 10,000	SP
73		エアロパワーホッパー	松井製作所	2011	APH-1-OM	容量: 1 L S/N: 201112642, 201112638	2	¥ 10,000	SP
74		ホッパー	松井製作所	2012	CH-10L	容量: 10 L	1	¥ 3,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
コンプレッサー									
75		コンプレッサー	コベルコ	2014	SG395AMII-22	吐出圧力: 0.7 MPa モーター出力: 22kW 稼働時間: 525hrs. エアードライヤー: かわの RAX37J-SE S/N: 4HB20715	1	¥ 280,000	SP
76		コンプレッサー	コベルコ	2014	SG395AMII-22	吐出圧力: 0.7 MPa モーター出力: 22kW 稼働時間: 779hrs. エアードライヤー: かわの RAX37J-SE S/N: 4HB20716	1	¥ 280,000	SP
77		コンプレッサー	コベルコ	2013	VS1500A-75	吐出圧力: 0.6-0.8 MPa モーター出力: 75kW 稼働時間: 1,930hrs. エアードライヤー: API CCA152	1	¥ 500,000	SP
78		コンプレッサー	コベルコ	2008	AG900A-5	吐出圧力: 0.69 MPa 稼働時間: 57,112hrs. エアードライヤー: CKD GX8175	1	¥ 280,000	SP
79		エアードライヤー	CKD	2003	GX8037	S/N: 530048	1	¥ 40,000	SP
その他									
80		ホイスト(1.5 t)	SIAM KITO	2013	ER2-015IS	定格荷重: 1.5 t 機種: 懸垂形(単体) ER2-E 等級: M5 モーター: 1.8kW チェーンサイズ: DAT-10.2x28.4mm コントロールボックス S/N: 00155343	1	¥ 70,000	SP
81		ホイスト(0.5 t)	SIAM KITO	2013	ER2-005IS	定格荷重: 0.5 TON 機種: 懸垂形(単体) ER2-C 等級: M6 モーター: 0.9kW チェーンサイズ: DAT-6.0x16.7mm. コントロールボックス S/N: 00155303	1	¥ 50,000	SP
82		ホイスト(0.5 t)	SIAM KITO	2013	ER2-005S	定格荷重: 0.5 TON 機種: 懸垂形(単体) ER2-C 等級: M5 モーター: 0.9kW チェーンサイズ: DAT-6.0x16.7mm. S/N: 00152926	1	¥ 50,000	SP
83		リフター	YOKU	-	SBJA	能力: 2500kg. 最高位: 200mm. フォーク長: 1150mm. フォーク幅: 10000mm.	1	¥ 15,000	SP
84		リフター	GCI	2014	2500	能力: 2500kg. 最高位: 200mm. フォーク長: 1220mm. フォーク幅: 680mm.	1	¥ 25,000	SP
85		リフター	GCI	2014	3000	能力: 3000kg. 最高位: 200mm. フォーク長: 1220mm. フォーク幅: 680mm.	1	¥ 30,000	SP
86		集塵機	淀川電機	-	PP-1500	入力電圧: 3P 200V 出力: 1.5 kW S/N: 890829	1	¥ 30,000	SP
87		集塵機	アマノ	-	VN-15	入力電圧: 3P 200V 出力: 0.97 kW	1	¥ 25,000	SP
88		ロール フィダー	オリイ	2010	LT-91ASBAAP	入力電圧: 3P 200V 出力: 0.4 kW 材料幅: 150 mm	1	¥ 150,000	SP
89		溶接機	ダイヘン	1989	AVP-300P	出力電流: 300A 入力電流: 45A 負荷電圧: 32V 入力電圧: 3φ, 200V 入力: 16.5kVA, 13kW	1	¥ 20,000	SP
90		デジタルノギス	MOORE&WRIGHT	-	MC MW 110-20DBL	測定範囲 0-150mm 精度 0.01mm ジヤコフ 50 mm	1	¥ 2,500	SP
91		収納棚	-	-	-	棚数: 3 寸法: 900x460x800mm.	1	¥ 10,000	SP
92		収納棚	-	-	-	棚数: 2 寸法: 1100x670x1130mm.	1	¥ 10,000	SP
93		収納棚	-	-	-	棚数: 2 寸法: 1500x750x1450mm.	1	¥ 10,000	SP
フォークリフト									
94		フォークリフト	トヨタ	2008	02-7FDA50	重量: 5 TON デューセル アームター: 13376hrs マスト: 3.0 m フォーク長: 1320 mm	1	¥ 1,100,000	SP

U-MACHINE (THAILAND) CO., LTD.

HEAD OFFICE

CONTACT PERSON

MR. HIROYUKI KAWAI (JAPANESE)

PRESIDENT

TEL : 089-900-5670

E-MAIL : hikawai@lf.mufg.jp

MR. TOSHIKAZU IBE (JAPANESE)

MANAGER

TEL : 063-187-0996

E-MAIL : t.ibe@u-machine.co.jp

MS. SASIMA MUNKONGPITUKKUL (THAI & ENGLISH)

BUSINESS ASSISTANT

E-MAIL : smunkongpitukkul@u-machine.co.jp

ADDRESS : 173/35 ASIA CENTRE TOWER, 26TH FLOOR, SOUTH SATHORN ROAD,
THUNGMAHAMEK, SATHORN, BANGKOK 10120

TEL : 02-163-6424

FAX : 02-163-6426

URL : WWW.U-MACHINE.CO.JP/TH

SAMUTPRAKARN RESOURCE CENTER



WAREHOUSE

▶ **SP: SAMUTPRAKARN RESOURCE CENTER**

ADDRESS : 55/19 M. 15 T. BANGSAOTHONG, A. BANGSAOTHONG, SAMUTPRAKARN 10570

▶ **SM: SAMUTSAKORN RESOURCE CENTER**

ADDRESS : 90 M. 1T. BANGNUMCHURD, A. MUANGSAMUTSAKORN, SAMUTSAKORN 74000