

ユーマシンタイニュース

U-MACHINE (THAILAND) NEWS

1 2019
月号

[JANUARY]

工場設備の売却についても、是非ご相談ください。

入荷



No. 1 CNC 立型 マシニングセンター
ヤマザキマザック / VCN410A / 2006年製



No. 3 旋盤
津田製作所 / TSL-860



No. 29 横中ぐり盤
東芝機械 / BZ-8 / 1992年製



No. 34 ワイヤークット
牧野フライス製作所 / DUO64C2 / 2011年製



No. 72 コンプレッサー
コベルコ / SG395AMII-22 / 2014年製

入荷



No. 77 CNCレーザーマーキング
CNCBRO / KTGX10

Company Profile

U-MACHINE (THAILAND) CO., LTD.

Established : February 29, 2012

Capital : 10 Million Baht

Representative

Mr. Hiroyuki Kawai, President

Share Holders

- ❖ U-MACHINE, Inc.
- ❖ Bangkok Mitsubishi UFJ Lease Co., Ltd.
- ❖ MUFG Bank, Ltd.

Major Business Areas

- ❖ Purchase and sale of the used-machine tools.
- ❖ Appraisal the used- machinery.
- ❖ Purchase of the idle machinery and reuse marketing service.

Main Product Lines

Machine Tools

- > Machining Center
- > Milling Machine
- > Lathe Machine
- > Grinding Machine
- > Wire Cutting, EDM
- > Drilling Machine
- > And more

Press machine

- > Hydraulic Press
- > Mechanical Press
- > Press Brake
- > Bending Machine
- > Sawing Machine
- > Shearing Machine
- > And more

Injection Molding Machines

- > Plastics Injection Molding Machine
- > Die casting Machine
- > Extrusion Machine
- > Blow Molding Machine
- > And more

* Any Manufacturers are acceptable

U-MACHINE, Inc. (AFFILIATED COMPANY)

Head Office

- ❖ 22-24, Marunouchi 3-chome, Naka-ku, Nagoya, Aichi 460-0002 Japan

Tokyo Business Department

- ❖ 9-2, Ootemachi 1-chome, Chiyoda-ku, Tokyo 100-0004 Japan

Osaka Business Department

- ❖ 1-1, Fushimicho 4-chome, Chuuou-ku, Osaka, Osaka 541-0044 Japan

Resource Center

- ❖ Miyosh-shi, AICHI
- ❖ Sakado-shi, SAITAMA
- ❖ Kato-shi, HYOGO

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
マシニングセンター									
1	入荷	CNC立型 マシニングセンター	ヤマザキエンザック	2006	VCN410A	MAZATROL 640M NEXUS ATC: 30 BT: 30 回転数: 12000rpm テーブル: 900x410mm. ストローク: 500x410x560mm. S/N: 188534	1	¥ 1,300,000	SP
旋盤									
2		旋盤	津田製作所	-	APOC-600 x 2000	チャックサイズ: 12" 回転数: 17-1200rpm チャック: 3 JAW ワークサイズ: 600x2000mm.	1	¥ 530,000	SP
3		旋盤	津田製作所	-	TSL-860	チャックサイズ: 9" 回転数: 44-1500rpm チャック: 3 JAW ワークサイズ: 480x860mm.	1	¥ 410,000	SP
4		旋盤	ワシノ機械	1970	LE-19J	チャックサイズ: 12" 回転数: 50-1500rpm チャック: 4 JAW ワークサイズ: 480x800mm.	1	¥ 350,000	SP
5		旋盤	大隈	1958	LS	チャックサイズ: 12" 回転数: 35-1800rpm チャック: 4 JAW ワークサイズ: 480x860mm.	1	¥ 350,000	SP
6		旋盤	ヤマザキマザック	1990	MATE-570S	チャックサイズ: 7" 回転数: 76-2000rpm チャック: 3 JAW ワークサイズ: 360x570mm. S/N: 81247	1	¥ 350,000	SP
7		旋盤	ヤマザキマザック	1990	MATE-570S	チャックサイズ: 7" 回転数: 76-2000rpm チャック: 3 JAW ワークサイズ: 360x570mm. S/N: 81250	1	¥ 350,000	SP
NC旋盤									
8		CNC旋盤	中村留精密工業	1993	TMC15	NC: FANUC ツール: 8 回転数: 4500 rpm チャックサイズ: 6" 振り: 300 mm ストローク (XZ): 120x270 mm.	1	¥ 340,000	SP
9		NC旋盤	エグロ	1992	NUCLET-10GL	FANUC SERIES 0-T, チャックサイズ: 4" テーブル: 550x180mm 回転数: 5,000rpm ストローク (X, Z): 260x250mm 加工寸法: 350x200mm	1	¥ 150,000	SP
フライス盤									
10		フライス盤	日立精工	1986	2MW	テーブル: 1350x310 mm. 回転数: 60-1800 rpm ストローク: 710x300x400 mm. NT50	1	¥ 450,000	SP
11		フライス盤	牧野フライス製作所	1983	KGJ	テーブル: 1100x250 mm. 回転数: 130-2200 rpm ストローク: 550x250x350 mm. NT40 デジタルスケール付: 2軸	1	¥ 230,000	SP
12		フライス盤	大隈豊和機械	1984	STM-2R	テーブル: 1350x310mm. NT40 回転数: 100-3600rpm ストローク: 710x300x400mm. ライナースケール: X, Y, Z 自動: X, Z	1	¥ 440,000	SP
13		横型フライス盤	日立精工	1972	2MM	テーブル: 1350x310mm 回転数: 60-1800rpm ストローク: 710x300x450mm	1	¥ 150,000	SP
14		横型フライス盤	エンシュウ	1989	HF2	切断機仕様 刃助テ多数付 回転数: 68-1760rpm テーブル: 1350x270mm ストローク: 750x270x450mm デジタルスケール付: X/Y/Z	1	¥ 250,000	SP
研削盤									
15		万能工具研削盤	牧野フライス精機	1973	C-40	テーブル: 135x940mm. 工具径 x 工具長: Φ250x400mm. 回転数: 2820, 3450rpm	1	¥ 410,000	SP
16		平面研削盤	岡本工作機械製作所	2012	ACC-126EX	FANUC Oi-MB 電磁チャック: 1200 x 600 mm. 砥石回転数: 2400 rpm. 砥石寸法(外径×幅×内径): 510 x 50 x 127 mm. ストローク: 1450 x 660 x 575 mm. S/N: 1605	1	¥ 3,600,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
研削盤									
17		平面研削盤	長島精工	1997	NP840-F	電磁チャック：800×400mm ストローク：800×450mm 砥石寸法(外径×幅×内径)：φ305×32×φ76.2 マグネットパワレーサー、高速度スケール軸(0.1μ)付 砥石回転数：3600rpm	1	980,000	SP
18		平面研削盤	三井ハイテック	1989	MSG-250H1	電磁チャック：400×200mm ストローク：520×260×220 砥石：φ205×20 砥石回転数：2000 rpm デジタル軸付	1	220,000	SP
19		成形研削盤	岡本工作機械製作所	2005	ACC52EXB	NC：FANUC 21-GA 可傾式電磁チャック：500×200mm 砥石回転数：3600rpm 砥石：φ205×19×φ50.8mm テーブル：550×200mm ストローク：650×230mm S/N：72059	1	570,000	SP
20		成形研削盤	岡本工作機械製作所	2005	ACC52EXB	NC：FANUC 21-GA 可傾式電磁チャック：500×200mm 砥石回転数：3600rpm 砥石：φ205×19×φ50.8mm テーブル：550×200mm ストローク：650×230mm S/N：72062	1	570,000	SP
21		成形研削盤	岡本工作機械製作所	2004	ACC52EXB	NC：FANUC 21-GA 可傾式電磁チャック：500×200mm 砥石回転数：3600rpm 砥石：φ205×19×φ50.8mm テーブル：550×200mm ストローク：650×230mm S/N：72046	1	550,000	SP
22		成形研削盤	岡本工作機械製作所	2004	ACC52EXB	NC：FANUC 21-GA 可傾式電磁チャック：500×200mm 砥石回転数：3600rpm 砥石：φ205×19×φ50.8mm テーブル：550×200mm ストローク：650×230mm S/N：72049	1	550,000	SP
23		成形研削盤	ニッコー	1977	NFG-515	可傾式電磁チャック：230×130mm ストローク540×180デジタルスケール軸付 砥石回転数：3000 rpm	1	120,000	SP
24		成形研削盤	ニッコー	1976	NFG-515	可傾式電磁チャック：320×110mm ストローク540×180デジタルスケール軸付 3000 rpm	1	115,000	SP
25		ドリル研削盤	藤田製作所	2004	DG20FX	研削範囲：φ3-20×230 mm. 先端角：115-150° 天頂角：0-50°	1	145,000	SP
26		ドリル研削盤	オーエスジー	2006	RDG-32S	研削範囲：φ10-φ32 先端角：118°-150° 研削ワイド全長範囲50-300mm 全自動	1	400,000	SP
27		両頭グラインダー	日立精工	-	GBT4	砥石回転数：3,000rpm 砥石寸法：205×19×15.88 mm	1	8,000	SP
ボール盤									
28		ボール盤	吉田	-	YUD-540	テーブル：φ510 mm. 回転数：75-1525 rpm ストローク：220 mm.	1	115,000	SP
29		横中ぐり盤	東芝機械	1992	BZ-8	テーブル：1050×900mm ストローク：1000×800×700mm 27~1000 rpm 主軸直径：80mm テーブル回転型	1	680,000	SP
30		ボール盤	キラ・コーポレーション	-	KRDG-420P	テーブル：φ370, 170-1750rpm S/N：M780545	1	32,000	SP
31		ボール盤	吉田	-	YBD-420B	テーブル：310×310, 310-2500rpm モーター：0.4kW	1	20,000	SP
32		ボール盤	キラ・コーポレーション	-	NSD-340	テーブル：240×240, 415-2300rpm モーター：0.25kW	1	30,000	SP
工具・その他									
33		研磨機	FEMI	2012	33N	200×20×16mm 2950rpm	1	8,000	SP
ワイヤーカット・放電加工機									
34		ワイヤーカット	牧野フライス製作所	2011	DUO64C2	MGW-56 テーブル：910×660mm ストローク(XYZUV)：650×400×420×±101×±101mm 加工径寸法：1070×855mm	1	2,200,000	SP
35		ワイヤーカット	ソディック	2002	AQ550L	LN1W 自動結線 テーブル加工 テーブル：800×500mm ストローク(XYZUV)：550×350×320×130×130mm 最大加工物寸法：750×600×310mm ワイヤ径：φ0.15 - φ0.3mm	1	1,350,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
プレス									
36		プレスブレーキ	相澤鐵工所	1993	AP-L5513	55t×1300mm パッケージ ストローク長：150mm キャブ深さ：410mm レーザー式安全装置(DSP LASER-J-RX)付	1	580,000	SP
37		プレス	金豊	2009	OCP-45	45t, 9°ハイト:240mm ライド調節量:60mm スライド寸法:560x300mm ストローク:40-100spm ストローク長:80mm キャブ寸法:850x440mm S/N:A90574	1	300,000	SP
38		プレス	金豊	2009	OCP-45	45t, 9°ハイト:240mm ライド調節量:60mm スライド寸法:560x300mm ストローク:40-100spm ストローク長:80mm キャブ寸法:850x440mm S/N:A90576	1	300,000	SP
39		プレス	金豊	2009	OCP-45	45t, 9°ハイト:240mm ライド調節量:60mm スライド寸法:560x300mm ストローク:40-100spm ストローク長:80mm キャブ寸法:850x440mm S/N:A90577	1	300,000	SP
40		プレスブレーキ	アマダ	2005	SPH-30C	加圧能力:30t 折り曲げ長さ:400mm フレームキャブ深さ:510mm 最大ストローク長:100mm モーター馬力:2.2kW マイクロスイッチ付	1	350,000	SP
切断機									
41		バンドソー	アマダ	2014	HA250W	切断能力:30x250mm(矩形) ブレード寸法(長さ×幅×厚さ):3,505x34x1.1mm ブレード速度(m/min):24-90m/min(60Hz)	1	960,000	SP
射出成形機 電動									
42		射出成形機	東洋機械金属	2003	Si-100III-D150	型締力:100t スクリュー径:φ28 総ショット数:7300529 稼働時間:56662h S/N:1325048	1	700,000	SP
43		射出成形機	東洋機械金属	2003	Si-100III-D150	型締力:100t スクリュー径:φ28 総ショット数:6395320 稼働時間:53131h S/N:1325055	1	700,000	SP
44		射出成形機	東洋機械金属	2007	Si-50IV-D75B	型締力:50t スクリュー径:φ24 総ショット数:964919 稼働時間:19944h	1	850,000	SP
45		射出成形機	日精樹脂工業	2004	ES400	型締力:40t スクリュー径:φ26 総ショット数:716304 稼働時間:8710h S/N:H04Y080	1	350,000	SP
46		射出成形機	日精樹脂工業	2003	ES400	型締力:40t スクリュー径:φ26 総ショット数:742079 稼働時間:8847h S/N:H04Y076	1	320,000	SP
47		射出成形機	ファナック	2007	S-2000I30B	型締力:30t スクリュー径:φ18 取出機付:エーシ製YA-30DL,2007年製 総ショット数:12019946 稼働時間:39606h	1	1,000,000	SP
48		射出成形機	東洋機械金属	1998	Si-30	型締力:30t 総ショット数:17229268 稼働時間:117635h	1	150,000	SP
49		射出成形機 (ハイブリッド)	ソディック	2003	TR20EH	型締力:20t 総ショット数:18300334 稼働時間:55807h	1	300,000	SP
50		縦型射出成形機	ニイガタマシンテクノ	2000	MDV50ST	型締力:50t スクリュー径:φ24 総ショット数:9201719 稼働時間:120802h S/N:81522V	1	350,000	SP
51		縦型射出成形機	ニイガタマシンテクノ	2000	MDV50ST	型締力:50t スクリュー径:φ24 総ショット数:9789649 稼働時間:127106h S/N:81512V	1	350,000	SP
52		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力:7t スクリュー径:14mm. コントロール:NC21 総ショット数:6095542 S/N:G00111004K1	1	450,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
射出成形機 電動									
53		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7 TON スクリュー径: 14 mm. コントロール: NC21 総ショット数: 4067440 S/N: G00111003K2	1	¥ 450,000	SP
54		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7 TON スクリュー径: 14 mm. コントロール: NC21 総ショット数: 5410654 S/N: G00111005K3	1	¥ 450,000	SP
55		射出成形機	日精樹脂工業	2012	HM7-CN3	型締力: 7 TON スクリュー径: 14 mm. コントロール: NC21 総ショット数: 5175071 S/N: G00111004K2	1	¥ 450,000	SP
射出成形機 油圧									
56		射出成形機	川口鉄工	1996	KM180B2	型締力: 180t	1	¥ 500,000	SM
57		射出成形機	日本製鋼所	1991	J150E	型締力: 150t	1	¥ 250,000	SM
58		射出成形機	東洋機械金属	1996	TI-50H	型締力: 50t	1	¥ 180,000	SM
59		射出成形機	東洋機械金属	1996	TI-30H	型締力: 30t	1	¥ 120,000	SM
成形機用周辺機器									
60		粒断機	ハーモ	2016	GM II-C750t	主ユニット: 246X246 MM. ホッパー: 246X285 mm. 回転刃: Ø176 mm. モーター: 0.75 kW.	1	¥ 280,000	SP
61		除湿乾燥機	シュトルツ	2003	NS-100	100 kg 乾燥能力: 35.0kg/h	1	¥ 200,000	SP
62		金型温度調節機	松井製作所	2012	GMCL-55A	媒体: 水 最高使用温度: 95°C モーター: 0.6kW ヒーター: 5.0kW ※新古品	2	¥ 70,000	SP
63		金型温度調節機	松井製作所	2005	GMCL-25T	媒体: 水 最高使用温度 95°C モーター: 0.3kW ヒーター: 3.0kW	1	¥ 14,000	SP
64		金型温度調節機	松井製作所	2005	GMCL-25T-OM	媒体: 水 最高使用温度 95°C モーター: 0.3kW ヒーター: 3.0kW	1	¥ 14,000	SP
65		金型温度調節機	松井製作所	2003	GMCL-25T-OM	媒体: 水 最高使用温度 95°C モーター: 0.3kW ヒーター: 3.0kW S/N: 200308172, 200308182	2	¥ 12,000	SP
66		金型温度調節機	カワタ	2002	TWF-75LD	媒体: 水 最高使用温度 95°C モーター: 0.15kW ヒーター: 5.0kW	1	¥ 12,000	SP
67		材料タンク	-	-	-	タンク寸法: Ø42X70cm	1	¥ 22,000	SP
68		材料タンク	-	-	-	タンク寸法: Ø42X70cm	1	¥ 25,000	SP
69		エアロパワーホッパー	松井製作所	2012	APH-1-OM	容量: 1 L	1	¥ 10,000	SP
70		エアロパワーホッパー	松井製作所	2011	APH-1-OM	容量: 1 L S/N: 201112642, 201112638	2	¥ 10,000	SP
71		ホッパー	松井製作所	2012	CH-10L	容量: 10 L	1	¥ 3,000	SP
コンプレッサー									
72		コンプレッサー	コベルコ	2014	SG395AMII-22	吐出圧力: 0.7 MPa モーター出力: 22kW 稼働時間: 525hrs. エアドライヤー: オゾン RAX37J-SE S/N: 4HB20715	1	¥ 280,000	SP
73		コンプレッサー	コベルコ	2014	SG395AMII-22	吐出圧力: 0.7 MPa モーター出力: 22kW 稼働時間: 779hrs. エアドライヤー: オゾン RAX37J-SE S/N: 4HB20716	1	¥ 280,000	SP
74		コンプレッサー	コベルコ	2013	VS1500A-75	吐出圧力: 0.6-0.8 MPa モーター出力: 75kW 稼働時間: 1,930hrs. エアドライヤー: API CCA152	1	¥ 500,000	SP

NO	区	機種	メーカー	年式	型式	仕様	台数	価格 (税抜)	保管場所
コンプレッサー									
75		コンプレッサー	コベルコ	2008	AG900A-5	吐出圧力: 0.69 MPa 稼働時間: 57,112hrs. エアードライヤー: CKD GX8175	1	¥ 280,000	SP
76		エアードライヤー	CKD	2003	GX8037	S/N: 530048	1	¥ 40,000	SP
その他									
77	入荷	CNCレーザー加工機	CNCBRO	-	KTGX10	レーザー出力: 10W 波長: 1064mm. 作業領域: 110x110mm.	1	¥ 100,000	SP
78		ホイス (1.5 t)	SIAM KITO	2013	ER2-015IS	定格荷重: 1.5 t 機種: 懸垂形 (単体) ER2-E 等級: M5 モーター: 1.8kW チェーンサイズ: DAT-10.2x28.4mm コントロールボックス S/N: 00155343	1	¥ 70,000	SP
79		ホイス (0.5 t)	SIAM KITO	2013	ER2-005IS	定格荷重: 0.5 TON 機種: 懸垂形 (単体) ER2-C 等級: M6 モーター: 0.9kW チェーンサイズ: DAT-6.0x16.7mm. コントロールボックス S/N: 00155303	1	¥ 50,000	SP
80		ホイス (0.5 t)	SIAM KITO	2013	ER2-005S	定格荷重: 0.5 TON 機種: 懸垂形 (単体) ER2-C 等級: M5 モーター: 0.9kW チェーンサイズ: DAT-6.0x16.7mm. S/N: 00152926	1	¥ 50,000	SP
81		リフター	YOKU	-	SBJA	能力: 2500kg. 最高位: 200mm. フォーク長: 1150mm. フォーク幅: 10000mm.	1	¥ 15,000	SP
82		リフター	GCI	2014	2500	能力: 2500kg. 最高位: 200mm. フォーク長: 1220mm. フォーク幅: 680mm.	1	¥ 25,000	SP
83		リフター	GCI	2014	3000	能力: 3000kg. 最高位: 200mm. フォーク長: 1220mm. フォーク幅: 680mm.	1	¥ 30,000	SP
84		集塵機	淀川電機	-	PP-1500	入力電圧: 3P 200V 出力: 1.5 kW S/N: 890829	1	¥ 30,000	SP
85		集塵機	アマノ	-	VN-15	入力電圧: 3P 200V 出力: 0.97 kW	1	¥ 25,000	SP
86		ロール フィダー	オリイ	2010	LT-91ASBAAP	入力電圧: 3P 200V 出力: 0.4 kW 材料幅: 150 mm	1	¥ 150,000	SP
87		溶接機	ダイヘン	1989	AVP-300P	出力電流: 300A 入力電流: 45A 負荷電圧: 32V 入力電圧: 3φ 200V 入力: 16.5kVA, 13kW	1	¥ 20,000	SP
88		デジタルノギス	MOORE&WRIGHT	-	MC MW 110-20DBL	測定範囲 0-150mm 精度 0.01mm ジヤコ 50 mm	1	¥ 2,500	SP
89		収納棚	-	-	-	棚数: 3 寸法: 900x460x800mm.	1	¥ 10,000	SP
90		収納棚	-	-	-	棚数: 2 寸法: 1100x670x1130mm.	1	¥ 10,000	SP
91		収納棚	-	-	-	棚数: 2 寸法: 1500x750x1450mm.	1	¥ 10,000	SP
フォークリフト									
92		フォークリフト	トヨタ	2008	02-7FDA50	重量: 5 TON ディーゼル エンジン: 13376hrs マス: 3.0 m フォーク長: 1320 mm	1	¥ 1,100,000	SP

U-MACHINE (THAILAND) CO., LTD.

HEAD OFFICE

CONTACT PERSON

MR. HIROYUKI KAWAI (JAPANESE)

PRESIDENT

TEL : 089-900-5670

E-MAIL : hikawai@lf.mufg.jp

MR. TOSHIKAZU IBE (JAPANESE)

MANAGER

TEL : 063-187-0996

E-MAIL : t.ibe@u-machine.co.jp

MS. SASIMA MUNKONGPITUKKUL (THAI & ENGLISH)

BUSINESS ASSISTANT

E-MAIL : smunkongpitukkul@u-machine.co.jp

ADDRESS : 173/35 ASIA CENTRE TOWER, 26TH FLOOR, SOUTH SATHORN ROAD,
THUNGMAHAMEK, SATHORN, BANGKOK 10120

TEL : 02-163-6424

FAX : 02-163-6426

URL : WWW.U-MACHINE.CO.JP/TH

SAMUTPRAKARN RESOURCE CENTER



WAREHOUSE

▶ **SP: SAMUTPRAKARN RESOURCE CENTER**

ADDRESS : 55/19 M. 15 T. BANGSAOTHONG, A. BANGSAOTHONG, SAMUTPRAKARN 10570

▶ **SM: SAMUTSAKORN RESOURCE CENTER**

ADDRESS : 90 M. 1T. BANGNUMCHURD, A. MUANGSAMUTSAKORN, SAMUTSAKORN 74000