

ユーマシンタイニュース

A GROUP COMPANY OF MITSUBISHI HC CAPITAL

HOME PAGE

U-MACHINE (THAILAND) NEWS

4月号2024



工場設備の売却についても、是非ご相談ください。
Please contact us for idle machine sales.

[APRIL]

DISCOUNT



No.1 HORIZONTAL MC
OKK / HMC400 / YEAR 2015



No.24 MACHINING CENTER
FANUC / α-D21MiA / YEAR 2014

DISCOUNT



No.31 LATHE
OKUMA / LS / YEAR 1958

NEW ARRIVE



No.35 NC LATHE MACHINE / MAZAK
QUICK TURN 150SG (500U) / YEAR 2017

NEW ARRIVE



No.36 SWISS TYPE AUTOMATIC
STAR / SB-20R TYPE C / YEAR 2018

DISCOUNT



No.79 VERTICAL INJECTION MACHINE
JSW / JT40REL III-55V / YEAR 2005

Selected used machine information

U-MACHINE

CNC lathe for heavy-duty cutting **CITIZEN**

LX-08E3



EQUIPMENT	CNC LATHE MACHINE Model No. LX-08E3
MAKER	CITIZEN (MIYANO)
YEAR	2013 <2units in stock>
PRICE	699,000THB (Exc. VAT)
SPECIFICATION	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm / SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 / BAR WORK CAPACITY: Ø52mm. MAX LENGTH: 200mm. / MAX DIAMETER: Ø210mm. Machine size: 170x230x180cm. / Weight: 2,800kg
WAREHOUSE	55/19 M.15 T.Bangsaothong, A.Bangsaothong, Samutprakarn 10570

U-MACHINE (THAILAND) CO., LTD.

<http://www.u-machine.co.jp/th>

(There are many other machines)

173/35 Asia Centre Tower, 26th Floor, South
Sathorn Road, Thungmahamek, Sathorn, Bangkok
10120, Thailand

TEL:+66-2163-6424 FAX:+66-2163-6426

It's a used machine, there are some case become sold out without the notify.

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUAN TITY	PRICE (EXCLUDE TAX)	WARE HOUSE
MACHINING CENTER											
1	DIS COUNT	HORIZONTAL MC	OKK	2015	HMC400	NC: OKK FANUC Ai SPINDLE SPEED: 15000rpm. SLIDE STROKE: 560x560x690mm. PALLET SIZE: 400x400mm. PALLET NUMBER: 2, ATC: 40 BT:40 MAX. DIAMETER: 630mm. MAX. HEIGHT: 920mm. MAX. WEIGHT: 400kg. S/N: 138	520x250x280cm	8,500kg	1	฿ 2,000,000	SP
2	DIS COUNT	VERTICAL MACHINING CENTER	YAMAZAKI	2017	YMZ-850	NC: FANUC Oi-MF SPINDLE SPEED: 15000rpm STROKE: 800x500x500mm. ATC:24 BT: 40 TABLE SIZE: 950x500mm. S/N: 8067	240x210x280cm.	4,500kg.	1	฿ 1,600,000	SP
3	NEW ARRIVE	VERTICAL MACHINING CENTER	MAXMILL	2018	VMC-1470	NC: MITSUBISHI M80 TABLE SIZE: 1550x650mm. SPINDLE SPEED: 8000rpm SLIDE STROKE: 1400x700x630mm. ATC: 24 BT: 50 TABLE LOAD: 1400kg. S/N: V147-144	510x340x290cm.	10,000kg.	1	฿ 1,700,000	SP
4	NEW ARRIVE	VERTICAL MACHINING CENTER	WELE	2018	AQ1265	NC: MITSUBISHI M80 TABLE SIZE: 1400x650mm. SPINDLE SPEED: 12000rpm SLIDE STROKE: 1100x650x610mm. ATC: 24 BT: 40 TABLE LOAD: 1000kg. S/N: 18053	350x250x300cm.	7,700kg.	1	฿ 1,700,000	SP
5	NEW ARRIVE	VERTICAL MACHINING CENTER	KAFO	2018	VMC-116A	NC: FANUC Oi-MF SPINDLE SPEED: 10000rpm TABLE SIZE: 1250x600mm. SLIDE STROKE: 1100x600x635mm. ATC: 24 BT: 40 TABLE LOAD: 1000kg. S/N: 184816	380x250x300cm.	7,600kg.	1	฿ 1,200,000	SP
6	DIS COUNT	VERTICAL MACHINING CENTER	KAFO	2018	CV-11A	NC: MITSUBISHI M80 TABLE SIZE: 1200x600mm. SPINDLE SPEED: 10000rpm SLIDE STROKE: 1100x600x600mm. TABLE LOAD: 800kg. ATC: 24 BT: 40 S/N: 264425	275x310x290cm	7,000kg	1	฿ 1,000,000	SP
7	DIS COUNT	VERTICAL MACHINING CENTER	SMARTECH	2019	VMC-L965B	NC: FANUC Oi-MF TABLE SIZE: 1050x500mm. SPINDLE SPEED: 10000rpm SLIDE STROKE: 900x600x550mm. TABLE LOAD: 600kg. ATC: 24 BT: 40 S/N: ZC19042401ZM	370x230x260cm	4,300kg	1	฿ 850,000	SP
8	DIS COUNT	VERTICAL MACHINING CENTER	SINO	2018	VMC850P	NC: FANUC Oi-MF TABLE SIZE: 1000x500mm. SPINDLE SPEED: 8000rpm. STROKE (XYZ): 850x500x550mm. TABLE LOAD: 500kg. ATC: 24 BT: 40 S/N: 18123937	330x240x290cm	5,500kg.	1	฿ 800,000	SP
9	DIS COUNT	MACHINING CENTER	LEADWELL	2017	V-26IF	NC: FANUC Oi-MF ATC: 24 BT: 40 SPINDLE SPEED: 10,000 rpm TABLE SIZE: 750x450 mm. STROKE (XYZ) :650x460x510mm. TABLE LOAD: 250 kg. S/N: L2TAG0281	200x220x250cm	3,400kg.	1	฿ 780,000	SP
10	DIS COUNT	CNC MACHINING CENTER	ECOCA	2018	VL-600	NC: FANUC Oi-MF ATC: 24 BT: 40 SPINDLE SPEED: 10,000 rpm TABLE SIZE: 700x450 mm. STROKE (XYZ) :600x450x480mm. TABLE LOAD: 300 kg. S/N: E1TAH0099	210x240x260cm	3,300kg.	1	฿ 780,000	SP
11	DIS COUNT	CNC MACHINING CENTER	ECOCA	2018	VL-600	NC: FANUC Oi-MF ATC: 24 BT: 40 SPINDLE SPEED: 10,000 rpm TABLE SIZE: 700x450 mm. STROKE (XYZ) : 600x450x480mm. TABLE LOAD: 300 kg. S/N: E1TAG0220	210x240x260cm	3,300kg.	1	฿ 780,000	SP
12	NEW ARRIVE	VERTICAL MACHINING CENTER	ECOCA	2019	VL-600	NC: FANUC Oi-MF TABLE SIZE: 700x450mm. SPINDLE SPEED: 10000rpm STROKE: 600x450x480mm. ATC: 24 BT: 40 TABLE LOAD: 300kg. S/N: E1TAH0178	210x240x260cm.	3,300kg.	1	฿ 830,000	SP
13	NEW ARRIVE	VERTICAL MACHINING CENTER	ECOCA	2018	VL-600	NC: FANUC Oi-MF TABLE SIZE: 700x450mm. SPINDLE SPEED: 10000rpm STROKE: 600x450x480mm. ATC: 24 BT: 40 TABLE LOAD: 300kg. S/N: E1TAH0020	210x240x260cm.	3,300kg.	1	฿ 780,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
MACHINING CENTER											
14		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114438	140x270x220cm	2,470kg	1	฿ 830,000	SP
15		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114433	140x270x220cm	2,470kg	1	฿ 830,000	SP
16		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114439	140x270x220cm	2,470kg	1	฿ 830,000	SP
17		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114424	140x270x220cm	2,470kg	1	฿ 830,000	SP
18		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114446	140x270x220cm	2,470kg	1	฿ 830,000	SP
19		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114478	140x270x220cm	2,470kg	1	฿ 830,000	SP
20		MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 115096	140x270x220cm	2,470kg	1	฿ 830,000	SP
21	DIS COUNT	VERTICAL MACHINING CENTER	AKIRA-SEIKI	2019	SR3 XP	NC: MITSUBISHI M80 ATC: 20 BT: 40 SPINDLE SPEED: 11,000 rpm TABLE SIZE: 910x380 mm. STROKE (XYZ) :762x430x460mm. Machine weight (Kg) : 3650 TABLE LOAD: 792kg. S/N: V07181647	210x200x250cm	3,650kg.	1	฿ 650,000	SP
22	DIS COUNT	VERTICAL MACHINING CENTER	AKIRA-SEIKI	2019	SR3 XP	NC: MITSUBISHI M80 ATC: 20 BT: 40 SPINDLE SPEED: 11000rpm TABLE SIZE: 910x380mm. STROKE (XYZ) :762x430x460mm. TABLE LOAD: 792kg. S/N: V07181726	210x200x250cm	3,650kg	1	฿ 650,000	SP
23		MACHINING CENTER	FANUC	2014	α-D21MiA	NC: FANUC 31i-MODEL-B SPINDLE SPEED: 24000rpm TABLE SIZE: 650x400mm. STROKE (XYZ) : 500x400x330mm. ATC: 21 BT: 30 MIST COLLECTOR S/N:P14YYK346	160x204x270cm	2,000kg	1	CONSULTATION	SP
24		MACHINING CENTER	FANUC	2014	α-D21MiA	NC: FANUC 31i-MODEL-B SPINDLE SPEED: 24000rpm TABLE SIZE: 650x400mm. STROKE (XYZ) : 500x400x330mm. ATC: 21 BT: 30 MIST COLLECTOR S/N:P14XYKD13	160x204x270cm	2,000kg	1	CONSULTATION	SP
25		MACHINING CENTER	FANUC	2014	α-D21MiA	NC: FANUC 31i-MODEL-B SPINDLE SPEED: 24000rpm TABLE SIZE: 650x400mm. STROKE (XYZ) : 500x400x330mm. ATC: 21 BT: 30 MIST COLLECTOR S/N:P14YYKT87	160x204x270cm	2,000kg	1	CONSULTATION	SP
LATHE MACHINE											
26	DIS COUNT	LATHE	IKEGAI	1989	IN25	CHUCK SIZE: 9" SPINDLE SPEED: 25-2000rpm TYPE CHUCK: 3 JAW WORK SIZE: 500x1150mm.	270x130x160cm	2,600kg	1	฿ 290,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
LATHE MACHINE											
27		LATHE	WASHINO	1986	LEOG-80A	CHUCK SIZE: 12" SPINDLE SPEED: 19-1500rpm. TYPE CHUCK: 6 JAW WORK SIZE: 480x850mm.	220x110x130cm	2,300kg	1	฿ 140,000	SP
28		LATHE	WASHINO	1970	LEOG-125A	CHUCK SIZE: 12" SPINDLE SPEED: 23-1800rpm. TYPE CHUCK: 6 JAW WORK SIZE: 480x1250mm.	270x110x140cm	2,300kg	1	฿ 140,000	SP
29		LATHE	YAMAZAKI MACHINERY WORKS	1969	HARDENED AND GROUND BEDWAY	CHUCK SIZE: 12" SPINDLE SPEED: 25-1500rpm TYPE CHUCK: 3 JAW WORK SIZE: 450x1550mm. LINER SCALE: 2 AXIS	300x110x155cm	2,300kg	1	฿ 160,000	SP
30	DIS COUNT	LATHE	TSUDA SEISAKUSYO	-	TSL-860	CHUCK SIZE: 9" SPINDLE SPEED: 44-1500rpm TYPE CHUCK: 3 JAW WORK SIZE: 480x860mm.	210x100x130cm	1,800kg	1	฿ 130,000	SP
31	DIS COUNT	LATHE	OKUMA	1958	LS	CHUCK SIZE: 12" SPINDLE SPEED: 35-1800rpm TYPE CHUCK: 4 JAW WORK SIZE: 480x860mm.	240x100x120cm	1,800kg	1	฿ 125,000	SP
NC LATHE MACHINE											
32	NEW ARRIVE	NC LATHE MACHINE	ACCUWAY	2018	UT-300	NC: FANUC Oi-TF SPINDLE SPEED: 3500rpm SLIDE STROKE: 300x750mm. CHUCK SIZE: 12" TOOLS: 12 MAX TURNING LENGTH: 700mm. MAX TURNING DIAMETER: Ø500mm. BAR CAPACITY: Ø75mm. S/N: 9454260	380x180x190cm.	5,500kg.	1	฿ 1,500,000	SP
33	DIS COUNT	NC LATHE MACHINE	CITIZEN (MIYANO)	2016	LZ-01R2	NC: FANUC Oi-TD SPINDLE SPEED: 6000rpm STROKE: 245x240mm. CHUCK SIZE: 6" TOOLS: 12 MAX DIAMETER: Ø70mm. MAX LENGTH: 80mm. S/N: 3W0334	280x150x170cm.	3,600kg.	1	฿ 1,200,000	SP
34	NEW ARRIVE	NC LATHE MACHINE	MAZAK	2018	QUICK TURN 150SG (500U)	NC: MAZATROL SMOOTH C SPINDLE SPEED: 5000rpm SLIDE STROKE: 200x560mm. CHUCK SIZE: 8" TOOLS: 8 MAX LENGTH: 520mm. MAX DIAMETER: Ø330mm. MAX SWING: Ø580mm. BAR WORK CAPACITY: Ø52mm. S/N: 293767	320x190x170cm.	3,550kg.	1	฿ 1,350,000	SP
35	NEW ARRIVE	NC LATHE MACHINE	MAZAK	2017	QUICK TURN 150SG (500U)	NC: MAZATROL SMOOTH C SPINDLE SPEED: 5000rpm SLIDE STROKE: 200x560mm. CHUCK SIZE: 8" TOOLS: 8 MAX LENGTH: 520mm. MAX DIAMETER: Ø330mm. MAX SWING: Ø580mm. BAR WORK CAPACITY: Ø52mm. S/N: 282241	320x190x170cm.	3,550kg.	1	฿ 1,300,000	SP
36	NEW ARRIVE	SWISS TYPE AUTOMATIC LATHE	STAR	2018	SB-20R TYPE C	NC: FANUC Oi-TF MAX DIAMETER: Ø20mm. MAX HEADSTOCK STROKE: 205mm. MAIN SPINDLE SPEED: 10000rpm TURNING TOOLS: 6 TOOLS 12mm. 4 SPINDLE SLEEVE HOLDER S/N: 0219	210x120x180cm.	1,650kg.	1	฿ 1,050,000	SP
37	NEW ARRIVE	SWISS TYPE AUTOMATIC LATHE	STAR	2018	SB-20R TYPE C	NC: FANUC Oi-TF MAX DIAMETER: Ø20mm. MAX HEADSTOCK STROKE: 205mm. MAIN SPINDLE SPEED: 10000rpm TURNING TOOLS: 6 TOOLS 12mm. 4 SPINDLE SLEEVE HOLDER S/N: 0220	210x120x180cm.	1,650kg.	1	฿ 1,050,000	SP
38	NEW ARRIVE	NC LATHE MACHINE	GOODWAY	2017	GLS-200	NC: FANUC Oi-TF SPINDLE SPEED: 4500 rpm SLIDE STROKE (XZ): 210x250mm. CHUCK SIZE: 8" TOOLS: 12 MAX LENGTH: 500mm. MAX DIAMETER: Ø500mm. BAR CAPACITY: Ø65mm. S/N: 894452	330x200x170cm.	3,200kg.	1	฿ 900,000	SP
39	DIS COUNT	CNC LATHE MACHINE	OKUMA	2012	GENOS L250	NC: OSP-P200LA-R SPINDLE SPEED: 4500rpm. SLIDE STROKE: 165x330mm. SPECIAL CHUCK: 8" TURRET: V8 MAX. DIAMETER: 280mm. MAX. LENGTH: 290mm. MAX. SWING: 450mm. S/N: D2650	175x240x170cm	2,800kg.	1	฿ 530,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUAN TITY	PRICE (EXCLUDE TAX)	WARE HOUSE
NC LATHE MACHINE											
40	DIS COUNT	CNC LATHE MACHINE	OKUMA	2011	GENOS L200-M	NC: OSP-P200L-R SPINDLE SPEED: 3000rpm. SLIDE STROKE: 165x245mm. SPECIAL CHUCK: 12" TOOLS: V12 MAX. DIAMETER: 200mm. MAX. LENGTH: 225mm. MAX. SWING: 450mm. S/N: M0092	200x240x170cm	2,800kg	1	฿ 500,000	SP
41		CNC LATHE MACHINE	HORIBE	2014	NX2-SP6N	NC: FANUC 32i-B SLIDE STROKE (XZ): 200x600mm. TOOLING: V6N SPINDLE HEAD: NN1205 SPINDLE SPEED: 2000rpm SPINDLE CHUCK: COLLET SAD-25 BAR FEEDER: ALPSTOOL, MODEL: Z-16 (5m.) S/N: 2541	950x280x230cm	5,000kg	1	฿ 220,000	SP
42		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD300	170x230x180cm	2,800kg	1	฿ 660,000	SP
43		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD307	170x230x180cm	2,800kg	1	฿ 660,000	SP
44		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD309	170x230x180cm	2,800kg	1	฿ 660,000	SP
45		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD304	170x230x180cm	2,800kg	1	฿ 660,000	SP
46		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD310	170x230x180cm	2,800kg	1	฿ 660,000	SP
47		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD311	170x230x180cm	2,800kg	1	฿ 660,000	SP
48		CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD312	170x230x180cm	2,800kg	1	฿ 660,000	SP
49		CNC LATHE MACHINE	CITIZEN (MIYANO)	2013	LX-08E3	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: DG8H038	170x230x180cm	2,800kg	1	฿ 699,000	SP
50		CNC LATHE MACHINE	CITIZEN (MIYANO)	2013	LX-08E3	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: DG8H047	170x230x180cm	2,800kg	1	฿ 699,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
MILLING MACHINE											
51	NEW ARRIVE	MILLING MACHINE	ARGO	2017	3VH	TABLE SIZE: 1270x254mm. SPINDLE SPEED: 70-4200rpm STROKE: 890x384x407mm. TOOLING: NT30 MAX TABLE LOAD: 420kg. AUTOFEED: X-Y Axis S/N: 9501	170x170x220cm.	1,250kg.	1	฿ 230,000	SP
GRINDING MACHINE											
52	NEW ARRIVE	CENTERLESS GRINDER MACHINE	JAGURA	2018	JAG-18C-SP	GRINDING RANGE: 1-50mm. GRINDING WHEEL SIZE: 455x205x228.6mm. REGULATING WHEEL SIZE: 255x205x111.2mm. GRINDING WHEEL SPEED: 1350rpm REGULATING WHEEL SPEED: 0-310rpm S/N: 107091311	240x240x170cm.	3,000kg.	1	฿ 850,000	SP
53	NEW ARRIVE	CENTERLESS GRINDER MACHINE	JAGURA	2018	JAG-18C-SP	GRINDING RANGE: 1-50mm. GRINDING WHEEL SIZE: 455x205x228.6mm. REGULATING WHEEL SIZE: 255x205x111.2mm. GRINDING WHEEL SPEED: 1350rpm REGULATING WHEEL SPEED: 0-310rpm S/N: 107032711	230x110x170cm.	3,000kg.	1	฿ 850,000	SP
54	NEW ARRIVE	CENTERLESS GRINDER MACHINE	JAGURA	2018	JAG-12C-EASY CNC1	GRINDING RANGE: 1-30mm. GRINDING WHEEL SIZE: 305x150x120mm. REGULATING WHEEL SIZE: 205x150x90mm. GRINDING WHEEL SPEED: 1900rpm REGULATING WHEEL SPEED: 0-310rpm S/N: 107032712	240x240x170cm.	1,600kg.	1	฿ 800,000	SP
55		CYLINDRICAL GRINDER	SHIGIYA	2014	GPL-30B 25II	MAX SWING: Ø300mm. MAX LOAD: 150kg. DISTANCE BETWEEN CENTER: 250mm. GRINDING DIAMETER: Ø300mm. S/N: 2140188	210x210x235cm	3,200kg	1	฿ 500,000	SP
56	NEW ARRIVE	GRINDING MACHINE	CHEVALIER	-	FSG-3A1224	TABLE SIZE: 305x610mm. SPINDLE SPEED: 1750rpm STROKE: 650x360mm. WHEEL DIMENSION: Ø355x50x127mm. MAX GRINDING: 305x610mm. TABLE LOAD: 420kg. S/N: FP317C006	240x170x210cm.	2,300kg.	1	฿ 500,000	SP
PRESS MACHINE											
57		PRESS MACHINE	AIDA	2006	NS1-1100(D)	CAPACITY: 110TON SLIDE STROKE: 180mm. SLIDE ADJUSTMENT: 90mm. DIE HEIGHT: 350mm. SLIDE AREA: 800x520mm. BOLSTER AREA: 1000x680mm. S/N: 10411-9024	170x220x310cm	13,000kg	1	CONSULTATION	SP
58		PRESS MACHINE	KOMATSU	2013	H1F60	CAPACITY: 60TON, DIE-HEIGHT: 300mm. SUPPLY VOLTAGE: 200V PHASE & FREQUENCY: 3P/50Hz LARGEST MOTOR: 11KW/64A, RATED: 52A SHORT CIRCUIT INTERRUPTING 25/13KA MACHINE DIAGRAM NO.949-23-08900 S/N: 10539	-	-	1	CONSULTATION	THAI ON SITE
SHEARING MACHINE											
59		PANEL SAW	SHINX	-	SPN1-3000	CUTTING CAPACITY: 3030x3050x45mm. CIRCULAR SAW: Ø305x25.4mm. ELECTRO SPINDLE SPEED: 3500rpm DUS COLLECTOR: MURAKOSHI MY-150Xn	480x150x400cm	1,250kg	1	CONSULTATION	SP
CUTTING MACHINE											
60		CUTTING MACHINE	TSUNE SEIKI	2016	TKSM-90PL	CUTTING ROUND TUBE: Ø10-90mm. CUT-OFF LENGTH: 5-200mm. SAW HEAD SPEED: 1520-4120rpm MAX SAW BLADE: Ø 330mm. SAW DRIVE MOTOR: 11KW-2P AUTO LOADER: 5m. S/N: 01766	149x652x152cm	2,300kg	1	CONSULTATION	SP
61		CUTTING MACHINE	TSUNE SEIKI	2012	TKA63	CUTTING RANGE: - ROUND & SQUARE Ø4~40mm. - ROUND TUBE Ø4~50mm. - RECTANGULAR TUBE Ø4~50mm. CUT-OFF LENGTH : 25~200mm. TRIM CUT LENGTH : 63mm. S/N: 210047	150x90x190cm	600kg	1	CONSULTATION	SP
INJECTION MACHINE											
62		INJECTION MACHINE	NISSEI	2010	NEX360-100LE	CLAMPING FORCE: 360TON SCREW DIAMETER: Ø63mm. CLAMP STROKE: 650mm. TIE BAR CLEARANCE: 735x735mm. DIEPLATE SIZE: 1055x1055mm. TOTAL TIME: 31,712 Hours S/N: H03610008K1	670x170x210cm	16,000kg	1	CONSULTATION	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUAN TITY	PRICE (EXCLUDE TAX)	WARE HOUSE
INJECTION MACHINE											
63		INJECTION MACHINE	TOSHIBA	2014	EC350S-17A	CLAMPING FORCE: 350TON SCREW DIAMETER: 60mm. SHOT WEIGHT(P/S): 780g. INJECTION SPEED: 160mm./s CLAMP STROKE: 650mm. TIE BAR CLEARANCE: 810x730mm. TOTAL TIME: 22,009 Hours S/N: 41J38603	730x210x220cm	17,200kg	1	CONSULTATION	SP
64		INJECTION MACHINE	TOSHIBA	2011	EC350S-17A	CLAMPING FORCE: 350TON SCREW DIAMETER: 60mm. SHOT WEIGHT(P/S): 780g. INJECTION SPEED: 160mm./s CLAMP STROKE: 650mm. TIE BAR CLEARANCE: 810x730mm. TOTAL TIME: 25,578 Hours S/N: 11J18612	730x210x220cm	17,200kg	1	CONSULTATION	SP
65		INJECTION MACHINE	TOSHIBA	2011	EC230S-6A	CLAMPING FORCE: 230TON SCREW DIAMETER: 45mm. SHOT WEIGHT(P/S): 263g. INJECTION SPEED: 160mm./s CLAMP STROKE: 550mm. TIE BAR CLEARANCE: 610x560mm. TOTAL TIME: 32,035 Hours S/N: 11H36812	620x160x200cm	9,200kg	1	CONSULTATION	SP
66		INJECTION MACHINE	TOSHIBA	2011	EC230S-6A	CLAMPING FORCE: 230TON SCREW DIAMETER: 45mm. SHOT WEIGHT(P/S): 263g. INJECTION SPEED: 160mm./s CLAMP STROKE: 550mm. TIE BAR CLEARANCE: 610x560mm. TOTAL TIME: 36,009 Hours S/N: 11H32512	620x160x200cm	9,200kg	1	CONSULTATION	SP
67		INJECTION MACHINE	TOSHIBA	2012	EC230S-6A	CLAMPING FORCE: 230TON SCREW DIAMETER: 45mm. SHOT WEIGHT(P/S): 263g. INJECTION SPEED: 160mm./s CLAMP STROKE: 550mm. TIE BAR CLEARANCE: 610x560mm. TOTAL TIME: 23,347 Hours S/N: 21H28201	620x160x200cm	9,200kg	1	CONSULTATION	SP
68		INJECTION MACHINE	TOSHIBA	2012	EC100S-2A	CLAMPING FORCE: 100TON SCREW DIAMETER: 32mm. SHORT WEIGHT (PS): 94g. INJECTION SPEED: 200mm./s CLAMP STROKE: 350mm. TIE BAR CLEARANCE: 460x410mm. TOTAL TIME: 21,523 Hours S/N: 21E71205	460x130x170cm	4,200kg	1	CONSULTATION	SP
69		INJECTION MACHINE	TOSHIBA	2012	EC100S-2A	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø32mm. SHORT WEIGHT (PS): 94g TIE BAR CLEARANCE: 460x410mm. S/N: 21E55501	460x130x170cm	4,200kg	1	CONSULTATION	SP
70		INJECTION MACHINE	TOSHIBA	2012	EC100S-2A	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø32mm. SHORT WEIGHT (PS): 94g TIE BAR CLEARANCE: 460x410mm. S/N: 21E57001	460x130x170cm	4,200kg	1	CONSULTATION	SP
71		INJECTION MACHINE	TOSHIBA	2012	EC100S-2A	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø32mm. SHORT WEIGHT (PS): 94g TIE BAR CLEARANCE: 460x410mm. S/N: 21E57901	460x130x170cm	4,200kg	1	CONSULTATION	SP
72		INJECTION MACHINE	TOSHIBA	2012	EC75S-2A	CLAMPING FORCE: 75TON SCREW DIAMETER: 32mm. SHORT WEIGHT (PS): 94g. INJECTION SPEED: 200mm./s CLAMP STROKE: 300mm. TIE BAR CLEARANCE: 410x360mm. TOTAL TIME: 33,047 Hours S/N: 21D17401	410x120x160cm	3,300kg	1	CONSULTATION	SP
73		INJECTION MACHINE	TOSHIBA	2012	EC50S-1.5A	CLAMPING FORCE: 50 TON CLAMP STROKE: 300mm. SCREW DIAMETER: Ø28mm. SHORT WEIGHT (PS): 63g TIE BAR CLEARANCE: 410x360mm. S/N: 21C27502	400x110x160cm	2,500kg	1	CONSULTATION	SP
74		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0073	465x120x170cm	4,000kg	1	CONSULTATION	SP
75		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0079	465x120x170cm	4,000kg	1	CONSULTATION	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
INJECTION MACHINE											
76		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0080	465x120x170cm	4,000kg	1	CONSULTATION	SP
77		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0092	465x120x170cm	4,000kg	1	CONSULTATION	SP
78		INJECTION MACHINE	SUMITOMO	2002	SE-50D-C110	CLAMPING FORCE: 50TON SCREW DIAMETER: 25mm. DIEPLATE SIZE: 500x450mm. TIE BAR CLEARANCE: 360x310mm. TOTAL TIME: 114,463 Hours S/N: MOKD0051	360x110x150cm	2,100kg	1	฿ 180,000	SP
79	DIS COUNT	VERTICAL INJECTION MACHINE	JSW	2005	JT40REL III-55V	SCREW SIZE: Ø25 TABLE SIZE: Ø1032 MOLD POWER: 40 TON TOTAL SHOT: 7651200 TOTAL HOUR: 84793 hrs.	230x140x300cm	3,300kg	1	฿ 450,000	SP
80		INJECTION MACHINE	NISSEI	2012	HM7-CN3	MOLD POWER: 7 TON SCREW SIZE: 14mm. CONTROL: NC21 TOTAL SHOT: 6095542 S/N: G00111004K1	150x70x150cm	500kg	1	฿ 80,000	SP
81		INJECTION MACHINE	NISSEI	2012	HM7-CN3	MOLD POWER: 7 TON SCREW SIZE: 14mm. CONTROL: NC21 TOTAL SHOT: 5410654 S/N: G00111005K3	150x70x150cm	500kg	1	฿ 80,000	SP
82		INJECTION MACHINE	NISSEI	2012	HM7-CN3	MOLD POWER: 7 TON SCREW SIZE: 14mm. CONTROL: NC21 TOTAL SHOT: 5175071 S/N: G00111004K2	150x70x150cm	500kg	1	฿ 80,000	SP
COMPRESSOR											
83		COMPRESSOR	KOBELCO	2015	AG110A	MOTOR OUTPUT: 110kW DISCHARGE PRESSURE: 0.7 Mpa ACCESSORIES: - AIR DRYER "ORION", YEAR 2015 - AIR TANK "MEIWA", YEAR 2015 S/N: D4QA1030	260x160x185cm	2,950kg	1	฿ 599,000	SP
84		COMPRESSOR	KOBELCO	2001	HM75A	MOTOR OUTPUT: 75kW RUNNING HOUR: 345hrs. WITH AIR DRYER "CKD" GT7120-H3 S/N: 4L 02782	220x120x150cm	1,700kg	1	฿ 50,000	SP
85		COMPRESSOR	HITACHI	2014	OSP-3755ARN	MOTOR OUTPUT: 37kW, 380V DISCHARGE PRESSURE: 0.85 MPa RUNNING HOUR: 61,110hrs. S/N: U1198484	120x110x165cm	900kg	1	฿ 280,000	SP
86		COMPRESSOR	KOBELCO	2016	SG395AIII-22U	MOTOR OUTPUT: 23.3kW, 380V DISCHARGE PRESSURE: 0.85 MPa RUNNING HOUR: 50,465hrs. S/N: 4HB30429	100x85x150cm	610kg	1	฿ 200,000	SP
87		COMPRESSOR	KOBELCO	2007	SG370AD-5H	MOTOR OUTPUT: 22kW, 200V DISCHARGE PRESSURE: 0.83 MPa RUNNING HOUR: 85,010hrs. S/N: 4HB03333	130x89x135cm	790kg	1	฿ 30,000	SP
88		COMPRESSOR	KOBELCO	2008	SG230AD-6	DISCHARGE PRESSURE: 0.69 MPa MOTOR OUTPUT: 15.7kW	103x75x125cm	480kg	1	฿ 20,000	SP
OTHERS											
89		COMPRESSOR	HITACHI	2015	OSP-1555ARN	MOTOR OUTPUT: 15kW, 380V DISCHARGE PRESSURE: 0.7 MPa RUNNING HOUR: 50,050hrs. S/N: U1207249	93x77x125cm	400kg	1	฿ 150,000	SP
90		TRANSFORMER	ESTEL	2015	TR-9819-2	POWER: 300KVA 3PHASE V PRIMARY: 380V V SECONDARY: 200V S/N: 58072100	135x95x170cm	1000kg	1	฿ 120,000	SP
91		TRANSFORMER	ESTEL	2015	TR-9819-2	POWER: 300KVA 3Phase V PRIMARY: 380V V SECONDARY: 200V S/N: 58072101	135x95x170cm	1000kg	1	฿ 120,000	SP
92		HEAT TREATMENT FURNACE T-5	SHOEI MFG. (THAILAND)	2018	熱風循環式	CONTENTS OF THE TREATED MATERIAL TREATMENT MATERIAL: ALUMINUM DIE-CAST SIZE: L190 x W170 x H90 WEIGHT: 2.1kg. / piece (MAX)	-	-	1	CONSULTATION	THAI ON SITE
93		RECTIFIER	SAN REX	-	HKE-8300G	INPUT: 50/60Hz, 200-480V, 3 Phase OUTPUT: 8V, 300A S/N: 10084916 SLO9	42x67x15cm	23kg	1	฿ 90,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
OTHERS											
94		SHOCK TESTING SYSTEM	SHINYEI TECHNOLOGY	2012	MDST-500	IMPACT TABLE SIZE: 500x500mm. MAXIMUM MASS OF SAMPLE: 75kg. SHOCK WAVE FORM HALF SINE WAVE IMPACT ACCELERATION RANGE: (m/s ²)100 - 300G (10 - 300G) POWER (POWER SUPPLY) AC200V 3 PHASE 10A BODY DIMENSION (WxDxH):) 1500x1000x3380mm. CONTROLLER DIMENSION (WxDxH): 570 x 710 x 1895mm.	-	2,790kg	1	CONSULTATION	THAI ON SITE
95		CYCLIC CORROSION TEST INSTRUMENT	SUGA TEST INSTRUMENT	2005	CYP-200H	TEMPERATURE CONTROL: 35°C-50°C HUMIDITY CONTROL: 60%-95% SPRAY SUPPLY: 4.4ml./min SPECIMEN RACK ANGLE: 15° & 20° CHAMBER SIZE: 2000x1000x500mm. S/N: WY105001	330x140x205cm	850kg	1	฿ 350,000	SP
96		FRICITION TESTER	TOYO SEIKI	2013	TR-2	TABLE SIZE: 350x240mm. TABLE SPEED: 5-1500mm./min TABLE STROKE: 1-22mm. LOAD CELL: 10, 20, 50N. LOAD RANGE: x1, x2, x5, x10, x20 S/N: D-111301601	75x36x36cm	35kg	1	฿ 39,000	SP
97		FRICITION TESTER	TOYO SEIKI	2012	AN	TABLE SIZE: 320x210mm. TILT SPEED: 1.0, 1.5, 2.0, 2.7, 3.0 (°/sec) RETURN SPEED: 15 (°/sec) MAXIMUM ANGLE: 70° S/N: D-112201800	36x55x20cm	28kg	1	฿ 39,000	SP
98		HAND LIFTER	YOKU	-	-	RATED CAPACITY: 2500kg. MAX FORK HEIGHT: 200mm. FORK LENGTH: 1150mm. FORK WIDTH: 1000mm.	100x160x120cm	120kg	1	฿ 12,000	SP
99		COOLER	WING POWER	-	WPE06PPM	AIR FLOW: 6000chm. POWER: 0.15kW FAN SPEED: 1400rpm	75x50x138cm	30kg	9	฿ 18,000	SP
100		FURNANCE	VULCAN	-	A-550	VOLUME: 550Cu.in. CHAMBER (WxHxD): 230x180x230mm. POWER: 1300w (Max < 2200w)	40x40x41cm	30kg	1	฿ 35,000	SP
101		GRINDER-POLISHER	BUEHLER	2012	EcoMet250	TABLE SIZE: Ø20cm. POWER BAST SPEED: 10-500rpm POWER HEAD SPEED: 30-60rpm	51x61x66cm	100kg	1	฿ 13,000	SP
102		HEAVY DUTY DRILL PRESS	REXON	2000	SE-330B	TABLE SIZE: 260x260cm. SPINDLE SPEED: 210-2580rpm	27x46x100cm	50kg	1	฿ 20,000	SP
103		CIRCULAR SAW	MAKITA	-	LW1400	POWER: 2200w CUTTING BLADE: Ø335mm. SPEED: 3800rpm	30x50x40cm	19kg	1	฿ 13,000	SP
104		METTLER TULEDO	COLE-PARMER	-	XS403S	CAPACITY: 410g. READABILITY: 1mg. PAN SIZE: 127x127mm.	19x37x10cm	2kg	1	฿ 20,000	SP
105		CONVEYOR	TERAUCHI	-	-	-	125x50x150cm	50kg	10	฿ 5,000	SP
106		SURFACE PLATE TABLE	-	-	-	TABLE SIZE: 400X20cm.	400x50x90cm	250kg	1	฿ 10,000	SP
107		BARCOL IMPRESSOR	-	-	GYZJ934-1	-	-	-	1	฿ 2,000	SP
108		CONDUCTIVITY METER	-	-	AUTOR SIGMA 3000	S/N: 000671/25	-	-	1	฿ 2,500	SP
109		THERMOMETER	-	-	FLUKE 51 II	S/N: 91020017 (ATTACHMENT WITH FLUKE-80PK-27)	-	-	1	฿ 2,500	SP
110		THERMOMETER	-	-	FLUKE 51 II	S/N: 36720199WS (ATTACHMENT WITH FLUKE-80PK-27)	-	-	1	฿ 2,500	SP
FORKLIFT											
111		PLATTER	NICHYU	2010	PLD105-70C-W10	RATED CAPACITY: 1000kg. MAX FORK HEIGHT: 210mm. FORK LENGTH: 1060mm. FORK WIDTH: 970mm. S/N: 321AC2086	97x235x150cm	745kg	1	฿ 30,000	SP
112		PLATTER	NICHYU	2010	PLD105-70C-W10	RATED CAPACITY: 1000kg. MAX FORK HEIGHT: 200mm. FORK LENGTH: 1060mm. FORK WIDTH: 970mm. S/N: 321AC2087	97x235x150cm	745kg	1	฿ 30,000	SP
113		PLATTER	NICHYU	2014	PLD155-70C-A10	RATED CAPACITY: 1500kg. MAX FORK HEIGHT: 210mm. FORK LENGTH: 1060mm. FORK WIDTH: 660mm. S/N: 321AC3521	73x220x150cm	745kg	1	฿ 35,000	SP

A GROUP COMPANY OF MITSUBISHI HC CAPITAL

U-MACHINE (THAILAND) CO., LTD.

HEAD OFFICE

CONTACT PERSON

MR. SHINSUKE OKUYAMA (JAPANESE & ENGLISH)

SENIOR MANAGER

TEL : 063-273-3012

E-MAIL :

shinsuke.okuyama@umt.mitsubishi-hc-capital.com

MR. TOSHIKAZU IBE (JAPANESE)

MANAGER

TEL : 063-187-0996

E-MAIL :

t.ibe@umt.mitsubishi-hc-capital.com

MS. POONYANUCH TAIKEEREE (THAI & ENGLISH)

CHIEF OF MARKETING

TEL: 065-986-1824

E-MAIL :

poonyanuch@umt.mitsubishi-hc-capital.com

MS. NAIYANA MUANGMOON (THAI & ENGLISH)

SENIOR OFFICER OF MARKETING

TEL : 061-403-8867

E-MAIL :

naiyana@umt.mitsubishi-hc-capital.com

ADDRESS : 173/35 ASIA CENTRE TOWER, 26TH FLOOR, SOUTH SATHORN ROAD,
THUNGMAHAMEK, SATHORN, BANGKOK 10120

TEL : 02-163-6424

URL : WWW.U-MACHINE.CO.JP/TH

HOME PAGE



SAMUTPRAKARN RESOURCE CENTER



WAREHOUSE

▶ **SP: SAMUTPRAKARN RESOURCE CENTER**

ADDRESS : 55/19 M. 15 T. BANGSAOTHONG, A. BANGSAOTHONG, SAMUTPRAKARN 10570