

# ユーマシンタイニュース

A GROUP COMPANY OF MITSUBISHI HC CAPITAL

HOME PAGE

## U-MACHINE (THAILAND) NEWS

2024  
5月号  
[MAY]



工場設備の売却についても、是非ご相談ください。  
Please contact us for idle machine sales.

DISCOUNT



No.3 VERTICAL MACHINING CENTER  
YAMAZAKI / YMZ-850 / YEAR 2017

DISCOUNT



No.4 VERTICAL MACHINING CENTER  
MAXMILL / VMC-1470 / YEAR 2018

DISCOUNT



No.14 MACHINING CENTER  
BROTHER / TC-31B / YEAR 2012

DISCOUNT



No.41 CNC LATHE MACHINE  
CITIZEN (MIYANO) / LX-08E2 / YEAR 2012

DISCOUNT



No.54 CYLINDRICAL GRINDER  
SHIGIYA / GPL-30B 25II / YEAR 2014

NEW ARRIVE



No.79 INJECTION MOLDING MACHINE  
JSW / J55AD-30H / YEAR 2012

# Selected used machine information

## U-MACHINE

### CNC lathe for heavy-duty cutting **CITIZEN**

LX-08E3



<b>EQUIPMENT</b>	CNC LATHE MACHINE Model No. LX-08E3
<b>MAKER</b>	CITIZEN (MIYANO)
<b>YEAR</b>	2013 <2units in stock>
<b>PRICE</b>	580,000THB (Exc. VAT)
<b>SPECIFICATION</b>	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm / SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 / BAR WORK CAPACITY: Ø52mm. MAX LENGTH: 200mm. / MAX DIAMETER: Ø210mm. Machine size: 170x230x180cm. / Weight: 2,800kg
<b>WAREHOUSE</b>	55/19 M.15 T.Bangsaothong, A.Bangsaothong, Samutprakarn 10570

## U-MACHINE (THAILAND) CO., LTD.

<http://www.u-machine.co.jp/th>  
(There are many other machines )

173/35 Asia Centre Tower, 26th Floor, South  
Sathorn Road, Thungmahamek, Sathorn, Bangkok  
10120, Thailand

TEL:+66-2163-6424 FAX:+66-2163-6426

It's a used machine, there are some case become sold out without the notify.

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUAN TITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>MACHINING CENTER</b>											
1	DIS COUNT	HORIZONTAL MC	OKK	2015	HMC400	NC: OKK FANUC Ai SPINDLE SPEED: 15000rpm. SLIDE STROKE: 560x560x690mm. PALLET SIZE: 400x400mm. PALLET NUMBER: 2, ATC: 40 BT:40 MAX. DIAMETER: 630mm. MAX. HEIGHT: 920mm. MAX. WEIGHT: 400kg. S/N: 138	520x250x280cm	8,500kg	1	฿ 1,890,000	SP
2	NEW ARRIVE	VERTICAL MACHINING CENTER	KASUGA	2018	Q140	NC: MITSUBISHI M80 TABLE SIZE: 1500x650mm. STROKE: 1450x660x660mm. SPINDLE SPEED: 6000rpm ATC: 24 BT: 50 TABLE LOAD: 1400kg. S/N: 5514007002	360x320x310cm.	7,500kg.	1	฿ 1,600,000	SP
3	DIS COUNT	VERTICAL MACHINING CENTER	YAMAZAKI	2017	YMZ-850	NC: FANUC Oi-MF SPINDLE SPEED: 15000rpm STROKE: 800x500x500mm. ATC:24 BT: 40 TABLE SIZE: 950x500mm. S/N: 8067	240x210x280cm.	4,500kg.	1	฿ 1,550,000	SP
4	DIS COUNT	VERTICAL MACHINING CENTER	MAXMILL	2018	VMC-1470	NC: MITSUBISHI M80 TABLE SIZE: 1550x650mm. SPINDLE SPEED: 8000rpm SLIDE STROKE: 1400x700x630mm. ATC: 24 BT: 50 TABLE LOAD: 1400kg. S/N: V147-144	510x340x290cm.	10,000kg.	1	฿ 1,600,000	SP
5	DIS COUNT	VERTICAL MACHINING CENTER	WELE	2018	AQ1265	NC: MITSUBISHI M80 TABLE SIZE: 1400x650mm. SPINDLE SPEED: 12000rpm SLIDE STROKE: 1200x650x610mm. ATC: 24 BT: 40 TABLE LOAD: 1000kg. S/N: 18053	350x250x300cm.	7,700kg.	1	฿ 1,650,000	SP
6		VERTICAL MACHINING CENTER	KAFO	2018	VMC-116A	NC: FANUC Oi-MF SPINDLE SPEED: 10000rpm TABLE SIZE: 1250x600mm. SLIDE STROKE: 1100x600x635mm. ATC: 24 BT: 40 TABLE LOAD: 1000kg. S/N: 184816	380x250x300cm.	7,600kg.	1	฿ 1,200,000	SP
7	DIS COUNT	VERTICAL MACHINING CENTER	SMARTECH	2019	VMC-L965B	NC: FANUC Oi-MF TABLE SIZE: 1050x500mm. SPINDLE SPEED: 10000rpm SLIDE STROKE: 900x600x550mm. TABLE LOAD: 600kg. ATC: 24 BT: 40 S/N: ZC190424012M	370x230x260cm	4,300kg	1	฿ 800,000	SP
8	DIS COUNT	VERTICAL MACHINING CENTER	SINO	2018	VMC850P	NC: FANUC Oi-MF TABLE SIZE: 1000x500mm. SPINDLE SPEED: 8000rpm. STROKE (XYZ): 850x500x550mm. TABLE LOAD: 500kg. ATC: 24 BT: 40 S/N: 18123937	330x240x290cm	5,500kg.	1	฿ 750,000	SP
9	DIS COUNT	MACHINING CENTER	LEADWELL	2017	V-26iF	NC: FANUC Oi-MF ATC: 24 BT: 40 SPINDLE SPEED: 10,000 rpm TABLE SIZE: 750x450 mm. STROKE (XYZ) :650x460x510mm. TABLE LOAD: 250 kg. S/N: L2TAG0281	200x220x250cm	3,400kg.	1	฿ 730,000	SP
10	DIS COUNT	CNC MACHINING CENTER	ECOCA	2018	VL-600	NC: FANUC Oi-MF ATC: 24 BT: 40 SPINDLE SPEED: 10,000 rpm TABLE SIZE: 700x450 mm. STROKE (XYZ) :600x450x480mm. TABLE LOAD: 300 kg. S/N: E1TAH0099	210x240x260cm	3,300kg.	1	฿ 730,000	SP
11	DIS COUNT	CNC MACHINING CENTER	ECOCA	2018	VL-600	NC: FANUC Oi-MF ATC: 24 BT: 40 SPINDLE SPEED: 10,000 rpm TABLE SIZE: 700x450 mm. STROKE (XYZ) : 600x450x480mm. TABLE LOAD: 300 kg. S/N: E1TAG0220	210x240x260cm	3,300kg.	1	฿ 730,000	SP
12	DIS COUNT	VERTICAL MACHINING CENTER	ECOCA	2019	VL-600	NC: FANUC Oi-MF TABLE SIZE: 700x450mm. SPINDLE SPEED: 10000rpm STROKE: 600x450x480mm. ATC: 24 BT: 40 TABLE LOAD: 300kg. S/N: E1TAH0178	210x240x260cm.	3,300kg.	1	฿ 780,000	SP
13	DIS COUNT	VERTICAL MACHINING CENTER	ECOCA	2018	VL-600	NC: FANUC Oi-MF TABLE SIZE: 700x450mm. SPINDLE SPEED: 10000rpm STROKE: 600x450x480mm. ATC: 24 BT: 40 TABLE LOAD: 300kg. S/N: E1TAH0020	210x240x260cm.	3,300kg.	1	฿ 730,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>MACHINING CENTER</b>											
14	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114438	140x270x220cm	2,470kg	1	฿ 790,000	SP
15	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114433	140x270x220cm	2,470kg	1	฿ 790,000	SP
16	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114439	140x270x220cm	2,470kg	1	฿ 790,000	SP
17	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114424	140x270x220cm	2,470kg	1	฿ 790,000	SP
18	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114446	140x270x220cm	2,470kg	1	฿ 790,000	SP
19	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 114478	140x270x220cm	2,470kg	1	฿ 790,000	SP
20	DIS COUNT	MACHINING CENTER	BROTHER	2012	TC-31B	NC: CNC-800 ATC: 26, BT:30 SPINDLE SPEED: 16000rpm. STROKE (XYZ): 350x250x350mm. TABLE SIZE (ONE SIZE): 500x270mm. MAX TABLE LOAD (ONE SIDE): 80kg. S/N: 115096	140x270x220cm	2,470kg	1	฿ 790,000	SP
21	DIS COUNT	VERTICAL MACHINING CENTER	AKIRA-SEIKI	2019	SR3 XP	NC: MITSUBISHI M80 ATC: 20 BT: 40 SPINDLE SPEED: 11,000 rpm TABLE SIZE: 910x380 mm. STROKE (XYZ) :762x430x460mm. Machine weight (Kg) : 3650 TABLE LOAD: 792kg. S/N: V07181647	210x200x250cm	3,650kg.	1	฿ 600,000	SP
22	DIS COUNT	VERTICAL MACHINING CENTER	AKIRA-SEIKI	2019	SR3 XP	NC: MITSUBISHI M80 ATC: 20 BT: 40 SPINDLE SPEED: 11000rpm TABLE SIZE: 910x380mm. STROKE (XYZ) :762x430x460mm. TABLE LOAD: 792kg. S/N: V07181726	210x200x250cm	3,650kg	1	฿ 600,000	SP
23		MACHINING CENTER	FANUC	2014	α-D21MiA	NC: FANUC 31i-MODEL-B SPINDLE SPEED: 24000rpm TABLE SIZE: 650x400mm. STROKE (XYZ) : 500x400x330mm. ATC: 21 BT: 30 MIST COLLECTOR S/N:P14YK346	160x204x270cm	2,000kg	1	CONSULTATION	SP
24		MACHINING CENTER	FANUC	2014	α-D21MiA	NC: FANUC 31i-MODEL-B SPINDLE SPEED: 24000rpm TABLE SIZE: 650x400mm. STROKE (XYZ) : 500x400x330mm. ATC: 21 BT: 30 MIST COLLECTOR S/N:P14XYKD13	160x204x270cm	2,000kg	1	CONSULTATION	SP
25		MACHINING CENTER	FANUC	2014	α-D21MiA	NC: FANUC 31i-MODEL-B SPINDLE SPEED: 24000rpm TABLE SIZE: 650x400mm. STROKE (XYZ) : 500x400x330mm. ATC: 21 BT: 30 MIST COLLECTOR S/N:P14YKT87	160x204x270cm	2,000kg	1	CONSULTATION	SP
<b>LATHE MACHINE</b>											
26		LATHE	IKEGAI	1989	IN25	CHUCK SIZE: 9" SPINDLE SPEED: 25-2000rpm TYPE CHUCK: 3 JAW WORK SIZE: 500x1150mm.	270x130x160cm	2,600kg	1	฿ 290,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUAN TITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>LATHE MACHINE</b>											
27		LATHE	WASHINO	1986	LEOG-80A	CHUCK SIZE: 12" SPINDLE SPEED: 19-1500rpm. TYPE CHUCK: 6 JAW WORK SIZE: 480x850mm.	220x110x130cm	2,300kg	1	₱ 140,000	SP
28		LATHE	WASHINO	1970	LEOG-125A	CHUCK SIZE: 12" SPINDLE SPEED: 23-1800rpm. TYPE CHUCK: 6 JAW WORK SIZE: 480x1250mm.	270x110x140cm	2,300kg	1	₱ 140,000	SP
29		LATHE	YAMAZAKI MACHINERY WORKS	1969	HARDENED AND GROUND BEDWAY	CHUCK SIZE: 12" SPINDLE SPEED: 25-1500rpm TYPE CHUCK: 3 JAW WORK SIZE: 450x1550mm. LINER SCALE: 2 AXIS	300x110x155cm	2,300kg	1	₱ 160,000	SP
30		LATHE	OKUMA	1958	LS	CHUCK SIZE: 12" SPINDLE SPEED: 35-1800rpm TYPE CHUCK: 4 JAW WORK SIZE: 480x860mm.	240x100x120cm	1,800kg	1	₱ 125,000	SP
<b>NC LATHE MACHINE</b>											
31	DIS COUNT	NC LATHE MACHINE	ACCUWAY	2018	UT-300	NC: FANUC OI-TF SPINDLE SPEED: 3500rpm SLIDE STROKE: 300x750mm. CHUCK SIZE: 12" TOOLS: 12 MAX TURNING LENGTH: 700mm. MAX TURNING DIAMETER: Ø500mm. BAR CAPACITY: Ø75mm. S/N: 9454260	380x180x190cm.	5,500kg.	1	₱ 1,450,000	SP
32	DIS COUNT	NC LATHE MACHINE	CITIZEN (MIYANO)	2016	LZ-01R2	NC: FANUC OI-TD SPINDLE SPEED: 6000rpm STROKE: 245x240mm. CHUCK SIZE: 6" TOOLS: 12 MAX DIAMATER: Ø70mm. MAX LENGTH: 80mm. S/N: 3W0334	280x150x170cm.	3,600kg.	1	₱ 1,150,000	SP
33		NC LATHE MACHINE	MAZAK	2018	QUICK TURN 1505G (500U)	NC: MAZATROL SMOOTH C SPINDLE SPEED: 5000rpm SLIDE STROKE: 200x560mm. CHUCK SIZE: 8" TOOLS: 8 MAX LENGTH: 520mm. MAX DIAMETER: Ø330mm. MAX SWING: Ø580mm. BAR WORK CAPACITY: Ø52mm. S/N: 293767	320x190x170cm.	3,550kg.	1	₱ 1,350,000	SP
34		NC LATHE MACHINE	MAZAK	2017	QUICK TURN 1505G (500U)	NC: MAZATROL SMOOTH C SPINDLE SPEED: 5000rpm SLIDE STROKE: 200x560mm. CHUCK SIZE: 8" TOOLS: 8 MAX LENGTH: 520mm. MAX DIAMETER: Ø330mm. MAX SWING: Ø580mm. BAR WORK CAPACITY: Ø52mm. S/N: 282241	320x190x170cm.	3,550kg.	1	₱ 1,300,000	SP
35	DIS COUNT	SWISS TYPE AUTOMATIC LATHE	STAR	2018	SB-20R TYPE C	NC: FANUC OI-TF MAX DIAMETER: Ø20mm. MAX HEADSTOCK STROKE: 205mm. MAIN SPINDLE SPEED: 10000rpm TURNING TOOLS: 6 TOOLS 12mm. 4 SPINDLE SLEEVE HOLDER S/N: 0219	210x120x180cm.	1,650kg.	1	₱ 1,000,000	SP
36	DIS COUNT	SWISS TYPE AUTOMATIC LATHE	STAR	2018	SB-20R TYPE C	NC: FANUC OI-TF MAX DIAMETER: Ø20mm. MAX HEADSTOCK STROKE: 205mm. MAIN SPINDLE SPEED: 10000rpm TURNING TOOLS: 6 TOOLS 12mm. 4 SPINDLE SLEEVE HOLDER S/N: 0220	210x120x180cm.	1,650kg.	1	₱ 1,000,000	SP
37		NC LATHE MACHINE	GOODWAY	2017	GLS-200	NC: FANUC OI-TF SPINDLE SPEED: 4500 rpm SLIDE STROKE (XZ): 210x250mm. CHUCK SIZE: 8" TOOLS: 12 MAX LENGTH: 500mm. MAX DIAMETER: Ø500mm. BAR CAPACITY: Ø65mm. S/N: 894452	330x200x170cm.	3,200kg.	1	₱ 900,000	SP
38	DIS COUNT	CNC LATHE MACHINE	OKUMA	2012	GENOS L250	NC: OSP-P200LA-R SPINDLE SPEED: 4500rpm. SLIDE STROKE: 165x330mm. SPECIAL CHUCK: 8" TURRET: V8 MAX. DIAMETER: 280mm. MAX. LENGTH: 290mm. MAX. SWING: 450mm. S/N: D2650	175x240x170cm	2,800kg.	1	₱ 450,000	SP
39	DIS COUNT	CNC LATHE MACHINE	OKUMA	2011	GENOS L200-M	NC: OSP-P200L-R SPINDLE SPEED: 3000rpm. SLIDE STROKE: 165x245mm. SPECIAL CHUCK: 12" TOOLS: V12 MAX. DIAMETER: 200mm. MAX. LENGTH: 225mm. MAX. SWING: 450mm. S/N: M0092	200x240x170cm	2,800kg	1	₱ 420,000	SP
40	DIS COUNT	CNC LATHE MACHINE	HORIBE	2014	NX2-SP6N	NC: FANUC 32i-B SLIDE STROKE (XZ): 200x600mm. TOOLING: V6N SPINDLE HEAD: NN120S SPINDLE SPEED: 2000rpm SPINDLE CHACK: COLLET SAD-25 BAR FEEDER: ALPSTOOL, MODEL: Z-16 (5m.) S/N: 2541	950x280x230cm	5,000kg	1	₱ 180,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>NC LATHE MACHINE</b>											
41	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD300	170x230x180cm	2,800kg	1	฿ 580,000	SP
42	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD307	170x230x180cm	2,800kg	1	฿ 580,000	SP
43	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD309	170x230x180cm	2,800kg	1	฿ 580,000	SP
44	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD304	170x230x180cm	2,800kg	1	฿ 580,000	SP
45	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD310	170x230x180cm	2,800kg	1	฿ 580,000	SP
46	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD311	170x230x180cm	2,800kg	1	฿ 580,000	SP
47	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2012	LX-08E2	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: 4U8HD312	170x230x180cm	2,800kg	1	฿ 580,000	SP
48	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2013	LX-08E3	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: DG8H038	170x230x180cm	2,800kg	1	฿ 580,000	SP
49	DIS COUNT	CNC LATHE MACHINE	CITIZEN (MIYANO)	2013	LX-08E3	NC: FANUC Oi-TD SPINDLE SPEED: 4000rpm SLIDE STROKE: 150x300mm CHUCK SIZE: 8", TOOLS: 8 MAX LENGTH: 200mm. MAX DIAMETER: Ø210mm. BAR WORK CAPACITY: Ø52mm. S/N: DG8H047	170x230x180cm	2,800kg	1	฿ 580,000	SP
<b>MILLING MACHINE</b>											
50	DIS COUNT	MILLING MACHINE	ARGO	2017	3VH	TABLE SIZE: 1270x254mm. SPINDLE SPEED: 70-4200rpm STROKE: 890x384x407mm. TOOLING: NT30 MAX TABLE LOAD: 420kg. AUTOFEED: X-Y Axis S/N: 9501	170x170x220cm.	1,250kg.	1	฿ 200,000	SP
<b>GRINDING MACHINE</b>											
51	DIS COUNT	CENTERLESS GRINDER MACHINE	JAGURA	2018	JAG-18C-SP	GRINDING RANGE: 1-50mm. GRINDING WHEEL SIZE: 45x205x228.6mm. REGULATING WHEEL SIZE: 25x205x111.2mm. GRINDING WHEEL SPEED: 1350rpm REGULATING WHEEL SPEED: 0-310rpm S/N: 1070913J1	240x240x170cm.	3,000kg.	1	฿ 800,000	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>GRINDING MACHINE</b>											
52	DIS COUNT	CENTERLESS GRINDER MACHINE	JAGURA	2018	JAG-18C-SP	GRINDING RANGE: 1-50mm. GRINDING WHEEL SIZE: 45x205x228.6mm. REGULATING WHEEL SIZE: 255x205x111.2mm. GRINDING WHEEL SPEED: 1350rpm REGULATING WHEEL SPEED: 0-310rpm S/N: 1070327J1	230x110x170cm.	3,000kg.	1	฿ 800,000	SP
53	DIS COUNT	CENTERLESS GRINDER MACHINE	JAGURA	2018	JAG-12C-EASY CNC1	GRINDING RANGE: 1-30mm. GRINDING WHEEL SIZE: 305x150x120mm. REGULATING WHEEL SIZE: 205x150x90mm. GRINDING WHEEL SPEED: 1900rpm REGULATING WHEEL SPEED: 0-310rpm S/N: 1070327J2	240x240x170cm.	1,600kg.	1	฿ 750,000	SP
54	DIS COUNT	CYLINDRICAL GRINDER	SHIGIYA	2014	GPL-30B 25II	MAX SWING: Ø300mm. MAX LOAD: 150kg. DISTANCE BETWEEN CENTER: 250mm. GRINDING DIAMETER: Ø300mm. S/N: 2140188	210x210x235cm	3,200kg	1	฿ 400,000	SP
55	DIS COUNT	GRINDING MACHINE	CHEVALIER	-	FSG-3A1224	TABLE SIZE: 305x610mm. SPINDLE SPEED: 1750rpm STROKE: 650x360mm. WHEEL DIMENSION: Ø355x50x127mm. MAX GRINDING: 305x610mm. TABLE LOAD: 420kg. S/N: FP317C006	240x170x210cm.	2,300kg.	1	฿ 450,000	SP
<b>PRESS MACHINE</b>											
56		PRESS MACHINE	KOMATSU	2013	H1F60	CAPACITY: 60TON, DIE-HEIGHT: 300mm. SUPPLY VOLTAGE: 200v PHASE & FREQUENCY: 3P/50Hz LARGEST MOTOR: 11KW/64A, RATED: 52A SHORT CIRCUIT INTERRUPTING 25/13KA MACHINE DIAGRAM NO.949-23-08900 S/N: 10539	-	-	1	CONSULTATION	THAI ON SITE
<b>SHEARING MACHINE</b>											
57		PANEL SAW	SHINX	-	SPN1-3000	CUTTING CAPACITY: 3030x3050X45mm. CIRCULAR SAW: Ø305X25.4mm. ELECTRO SPINDLE SPEED: 3500rpm DUS COLLECTOR: MURAKOSHI MY-150Xn	480x150x400cm	1,250kg	1	CONSULTATION	SP
<b>CUTTING MACHINE</b>											
58		CUTTING MACHINE	TSUNE SEIKI	2016	TK5M-90PL	CUTTING ROUND TUBE: Ø10-90mm. CUT-OFF LENGTH: 5-200mm. SAW HEAD SPEED: 1520-4120rpm MAX SAW BLADE: Ø 330mm. SAW DRIVE MOTOR: 11kW-2P AUTO LOADER: 5m. S/N: 01766	149x652x152cm	2,300kg	1	CONSULTATION	SP
59		CUTTING MACHINE	TSUNE SEIKI	2012	TKA63	CUTTING RANGE: - ROUND & SQUARE Ø4~40mm. - ROUND TUBE Ø4~50mm. - RECTANGULAR TUBE Ø4~50mm. CUT-OFF LENGTH : 25~200mm. TRIM CUT LENGTH : 63mm. S/N: 210047	150x90x190cm	600kg	1	CONSULTATION	SP
<b>INJECTION MACHINE</b>											
60	NEW ARRIVE	INJECTION MOLDING MACHINE	JSW	2012	J55AD-30H	CLAMPING FORCE: 55TON CLAMP STORKE: 260mm. SCREW DIAMETER: 22mm. PLATEN SIZE: 520x470mm. SHOT WEIGHT (PS): 28g. DISTANCE BETWEEN TIE BARS: 360x310mm. (With ROBOT "YUSHIN", MODEL: YA-70DL, S/N: 3904566011, YEAR: 2011) S/N: 211808397397	360x105x160cm.	3,100kg.	1	฿ 850,000	SP
61	NEW ARRIVE	INJECTION MOLDING MACHINE	JSW	2011	J55AD-60H	CLAMPING FORCE: 55TON CLAMP STORKE: 260mm. SCREW DIAMETER: 28mm. PLATEN SIZE: 520x470mm. SHOT WEIGHT (PS): 56g. DISTANCE BETWEEN TIE BARS: 360x310mm. (With ROBOT "STAR", MODEL: Gx-500sV-II, S/N: GX0SV2-0103) S/N: 211809D92D92	360x105x160cm.	3,100kg.	1	฿ 850,000	SP
62		INJECTION MACHINE	NISSEI	2010	NEX360-100LE	CLAMPING FORCE: 360TON SCREW DIAMETER: Ø63mm. CLAMP STROKE: 650mm. TIE BAR CLEARANCE: 735x735mm. DIEPLATE SIZE: 1055x1055mm. TOTAL TIME: 31,712 Hours S/N: H03610008K1	670x170x210cm	16,000kg	1	CONSULTATION	SP
63		INJECTION MACHINE	TOSHIBA	2014	EC350S-17A	CLAMPING FORCE: 350TON SCREW DIAMETER: 60mm. SHOT WEIGHT(PS): 780g. INJECTION SPEED: 160mm./s CLAMP STROKE: 650mm. TIE BAR CLEARANCE: 810x730mm. TOTAL TIME: 22,009 Hours S/N: 41J38603	730x210x220cm	17,200kg	1	CONSULTATION	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>INJECTION MACHINE</b>											
65		INJECTION MACHINE	TOSHIBA	2011	EC2305-6A	CLAMPING FORCE: 230TON SCREW DIAMETER: 45mm. SHOT WEIGHT(P.S): 263g. INJECTION SPEED: 160mm./s CLAMP STROKE: 550mm. TIE BAR CLEARANCE: 610x560mm. TOTAL TIME: 32,035 Hours S/N: 11H36812	620x160x200cm	9,200kg	1	CONSULTATION	SP
66		INJECTION MACHINE	TOSHIBA	2011	EC2305-6A	CLAMPING FORCE: 230TON SCREW DIAMETER: 45mm. SHOT WEIGHT(P.S): 263g. INJECTION SPEED: 160mm./s CLAMP STROKE: 550mm. TIE BAR CLEARANCE: 610x560mm. TOTAL TIME: 36,009 Hours S/N: 11H32512	620x160x200cm	9,200kg	1	CONSULTATION	SP
67		INJECTION MACHINE	TOSHIBA	2012	EC2305-6A	CLAMPING FORCE: 230TON SCREW DIAMETER: 45mm. SHOT WEIGHT(P.S): 263g. INJECTION SPEED: 160mm./s CLAMP STROKE: 550mm. TIE BAR CLEARANCE: 610x560mm. TOTAL TIME: 23,347 Hours S/N: 21H28201	620x160x200cm	9,200kg	1	CONSULTATION	SP
68		INJECTION MACHINE	TOSHIBA	2012	EC1005-2A	CLAMPING FORCE: 100TON SCREW DIAMETER: 32mm. SHORT WEIGHT (PS): 94g. INJECTION SPEED: 200mm./s CLAMP STROKE: 350mm. TIE BAR CLEARANCE: 460x410mm. TOTAL TIME: 21,523 Hours S/N: 21E71205	460x130x170cm	4,200kg	1	CONSULTATION	SP
69		INJECTION MACHINE	TOSHIBA	2012	EC1005-2A	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø32mm. SHORT WEIGHT (PS): 94g TIE BAR CLEARANCE: 460x410mm. S/N: 21E55501	460x130x170cm	4,200kg	1	CONSULTATION	SP
70		INJECTION MACHINE	TOSHIBA	2012	EC1005-2A	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø32mm. SHORT WEIGHT (PS): 94g TIE BAR CLEARANCE: 460x410mm. S/N: 21E57001	460x130x170cm	4,200kg	1	CONSULTATION	SP
71		INJECTION MACHINE	TOSHIBA	2012	EC1005-2A	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø32mm. SHORT WEIGHT (PS): 94g TIE BAR CLEARANCE: 460x410mm. S/N: 21E57901	460x130x170cm	4,200kg	1	CONSULTATION	SP
72		INJECTION MACHINE	TOSHIBA	2012	EC755-2A	CLAMPING FORCE: 75TON SCREW DIAMETER: 32mm. SHORT WEIGHT (PS): 94g. INJECTION SPEED: 200mm./s CLAMP STROKE: 300mm. TIE BAR CLEARANCE: 410x360mm. TOTAL TIME: 33,047 Hours S/N: 21D17401	410x120x160cm	3,300kg	1	CONSULTATION	SP
73		INJECTION MACHINE	TOSHIBA	2012	EC505-1.5A	CLAMPING FORCE: 50 TON CLAMP STROKE: 300mm. SCREW DIAMETER: Ø28mm. SHORT WEIGHT (PS): 63g TIE BAR CLEARANCE: 410x360mm. S/N: 21C27502	400x110x160cm	2,500kg	1	CONSULTATION	SP
74		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0073	465x120x170cm	4,000kg	1	CONSULTATION	SP
75		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0079	465x120x170cm	4,000kg	1	CONSULTATION	SP
76		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0080	465x120x170cm	4,000kg	1	CONSULTATION	SP
77		INJECTION MACHINE	SUMITOMO	2012	SE100DUZ-C145FT	CLAMPING FORCE: 100 TON CLAMP STROKE: 350mm. SCREW DIAMETER: Ø28mm. TIE BAR CLEARANCE: 460x460mm. DIEPLATE SIZE: 650x650mm. S/N: M09C0092	465x120x170cm	4,000kg	1	CONSULTATION	SP
78		INJECTION MACHINE	SUMITOMO	2002	SE-50D-C110	CLAMPING FORCE: 50TON SCREW DIAMETER: 25mm. DIEPLATE SIZE: 500x450mm. TIE BAR CLEARANCE: 360x310mm. TOTAL TIME: 114,463 Hours S/N: MOKD0051	360x110x150cm	2,100kg	1	180,000	SP



NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>INJECTION MACHINE</b>											
79		VERTICAL INJECTION MACHINE	JSW	2005	JT40REL III-55V	SCREW SIZE: Ø25 TABLE SIZE: Ø1032 MOLD POWER: 40 TON TOTAL SHOT: 7651200 TOTAL HOUR: 84793 hrs.	230x140x300cm	3,300kg	1	฿ 450,000	SP
<b>COMPRESSOR</b>											
80	DIS COUNT	COMPRESSOR	KOBELCO	2015	AG110A	MOTOR OUTPUT: 110kW DISCHARGE PRESSURE: 0.7 Mpa <u>ACCESSORIES:</u> - AIR DRYER "ORION", YEAR 2015 - AIR TANK "MEIWA", YEAR 2015 S/N: D4QA1030	260x160x185cm	2,950kg	1	฿ 420,000	SP
81	DIS COUNT	COMPRESSOR	KOBELCO	2001	HM75A	MOTOR OUTPUT: 75kW RUNNING HOUR: 345hrs. WITH ARI DRYER "CKD" GT7120-H3 S/N: 4L 02782	220x120x150cm	1,700kg	1	฿ 34,000	SP
82	DIS COUNT	COMPRESSOR	HITACHI	2014	OSP-3755ARN	MOTOR OUTPUT: 37kW, 380V DISCHARGE PRESSURE: 0.85 MPa RUNNING HOUR: 61,110hrs. S/N: U1198484	120x110x165cm	900kg	1	฿ 230,000	SP
83		COMPRESSOR	KOBELCO	2016	SG395AIII-22U	MOTOR OUTPUT: 23.3kW, 380V DISCHARGE PRESSURE: 0.85 MPa RUNNING HOUR: 50,465hrs. S/N: 4HB30429	100x85x150cm	610kg	1	฿ 200,000	SP
84	DIS COUNT	COMPRESSOR	KOBELCO	2007	SG370AD-5H	MOTOR OUTPUT: 22kW, 200V DISCHARGE PRESSURE: 0.85 MPa RUNNING HOUR: 85,010hrs. S/N: 4HB03333	130x89x135cm	790kg	1	฿ 15,000	SP
85		COMPRESSOR	KOBELCO	2008	SG230AD-6	DISCHARGE PRESSURE: 0.69 MPa MOTOR OUTPUT: 15.7kW	103x75x125cm	480kg	1	฿ 20,000	SP
86	DIS COUNT	COMPRESSOR	HITACHI	2015	OSP-1555ARN	MOTOR OUTPUT: 15kW, 380V DISCHARGE PRESSURE: 0.7 MPa RUNNING HOUR: 50,050hrs. S/N: U1207249	93x77x125cm	400kg	1	฿ 110,000	SP
<b>OTHERS</b>											
87	DIS COUNT	TRANSFORMER	ESTEL	2015	TR-9819-2	POWER: 300KVA 3PHASE V PRIMARY: 380V V SECONDARY: 200V S/N: 58072100	135x95x170cm	1000kg	1	฿ 70,000	SP
88	DIS COUNT	TRANSFORMER	ESTEL	2015	TR-9819-2	POWER: 300KVA 3Phase V PRIMARY: 380V V SECONDARY: 200V S/N: 58072101	135x95x170cm	1000kg	1	฿ 90,000	SP
89		RECTIFIER	SAN REX	-	HKE-8300G	INPUT: 50/60Hz, 200-480V, 3 Phase OUTPUT: 8V, 300A S/N: 10084916 5L09	42x67x15cm	23kg	1	฿ 90,000	SP
90		SHOCK TESTING STSTEM	SHINYEI TECHNOLOGY	2012	MDST-500	IMPACH TABLE SIZE: 500x500mm. MAXIMUM MASS OF SAMPLE: 75kg. SHOCK WAVE FORM HALF SINE WAVE IMPACT ACCELERATION RANGE: (m/s <sup>2</sup> )100 - 3000 (10 - 300G) POWER (POWER SUPPLY) AC200V 3 PHASE 10A BODY DIMENSION ( WxDxH: ) 1500x1000x3380mm. CONTROLLER DIMENSION (WxDxH): 570 x 710 x 1895mm.	-	2,790kg	1	CONSULTATION	THAI ON SITE
91		CYCLIC CORROSION TEST INSTRUMENT	SUGA TEST INSTRUMENT	2005	CYP-200H	TEMPERATURE CONTROL: 35°C-50°C HUMIDITY CONTROL: 60%-95% SPRAY SUPPLY: 4.4ml./min SPECIMEN RACK ANGLE: 15° & 20° CHAMBER SIZE: 2000x1000x500mm. S/N: WY105001	330x140x205cm	850kg	1	฿ 350,000	SP
92		FRICTION TESTER	TOYO SEIKI	2013	TR-2	TABLE SIZE: 350x240mm. TABLE SPEED: 5-1500mm./min TABLE STROKE: 1-22mm. LOAD CELL: 10, 20, 50N. LOAD RANGE: x1, x2, x5, x10, x20 S/N: D-111301601	75x36x36cm	35kg	1	฿ 39,000	SP
93		FRICTION TESTER	TOYO SEIKI	2012	AN	TABLE SIZE: 320x210mm. TILT SPEED: 1.0, 1.5, 2.0, 2.7, 3.0 (°/sec) RETURN SPEED: 15 (°/sec) MAXIMUM ANGLE: 70° S/N: D-112201800	36x55x20cm	28kg	1	฿ 39,000	SP
94		HAND LIFTER	YOKU	-	-	RATED CAPACITY: 2500kg. MAX FORK HEIGHT: 200mm. FORK LENGTH: 1150mm. FORK WIDTH: 1000mm.	100x160x120cm	120kg	1	฿ 12,000	SP
95		COOLER	WING POWER	-	WPE06PPM	AIR FLOW: 6000chm. POWER: 0.15kW FAN SPEED: 1400rpm	75x50x138cm	30kg	9	฿ 18,000	SP
96		FURNANCE	VULCAN	-	A-550	VOLUME: 550Cu.in. CHAMBER (WxHxD): 230x180x230mm. POWER: 1300w (Max < 2200w)	40x40x41cm	30kg	1	฿ 35,000	SP
97	DIS COUNT	GRINDER-POLISHER	BUEHLER	2012	EcoMet250	TABLE SIZE: Ø20cm. POWER BAST SPEED: 10-500rpm POWER HEAD SPEED: 30-60rpm	51x61x66cm	100kg	1	฿ 5,900	SP

NO	NOTE	EQUIPMENT	MANUFACTURER	YEAR	MODEL	SPECIFICATION	DIMENSION (WxLxH)	WEIGHT	QUANTITY	PRICE (EXCLUDE TAX)	WARE HOUSE
<b>OTHERS</b>											
98	DIS COUNT	HEAVY DUTY DRILL PRESS	REXON	2000	SE-330B	TABLE SIZE: 260x260cm. SPINDLE SPEED: 210-2580rpm	27x46x100cm	50kg	1	₱ 12,000	SP
99		METTLER TULEDO	COLE-PARMER	-	XS403S	CAPACITY: 410g. READABILITY: 1mg. PAN SIZE: 127x127mm.	19x37x10cm	2kg	1	₱ 20,000	SP
100		CONVEYOR	TERAUCHI	-	-	-	125x50x150cm	50kg	10	₱ 5,000	SP
101		SURFACE PLATE TABLE	-	-	-	TABLE SIZE: 400X20cm.	400x50x90cm	250kg	1	₱ 10,000	SP
102		BARCOL IMPRESSOR	-	-	GYZJ934-1	-	-	-	1	₱ 2,000	SP
103		CONDUCTIVITY METER	-	-	AUTOR SIGMA 3000	S/N: 000671/25	-	-	1	₱ 2,500	SP
104		THERMOMETER	-	-	FLUKE 51 II	S/N: 91020017 (ATTACHMENT WITH FLUKE-80PK-27)	-	-	1	₱ 2,500	SP
105		THERMOMETER	-	-	FLUKE 51 II	S/N: 36720199WS (ATTACHMENT WITH FLUKE-80PK-27)	-	-	1	₱ 2,500	SP
<b>FORKLIFT</b>											
106		PLATTER	NICHYU	2010	PLD10S-70C-W10	RATED CAPACITY: 1000kg. MAX FORK HEIGHT: 210mm. FORK LENGTH: 1060mm. FORK WIDTH: 970mm. S/N: 321AC2086	97x235x150cm	745kg	1	₱ 30,000	SP
107		PLATTER	NICHYU	2010	PLD10S-70C-W10	RATED CAPACITY: 1000kg. MAX FORK HEIGHT: 200mm. FORK LENGTH: 1060mm. FORK WIDTH: 970mm. S/N: 321AC2087	97x235x150cm	745kg	1	₱ 30,000	SP
108		PLATTER	NICHYU	2014	PLD15S-70C-A10	RATED CAPACITY: 1500kg. MAX FORK HEIGHT: 210mm. FORK LENGTH: 1060mm. FORK WIDTH: 660mm. S/N: 321AC3521	73x220x150cm	745kg	1	₱ 35,000	SP

A GROUP COMPANY OF MITSUBISHI HC CAPITAL

# U-MACHINE (THAILAND) CO., LTD.

## HEAD OFFICE

### CONTACT PERSON

**MR. SHINSUKE OKUYAMA** (JAPANESE & ENGLISH)

SENIOR MANAGER

TEL : 063-273-3012

E-MAIL :

shinsuke.okuyama@umt.mitsubishi-hc-capital.com

**MR. TOSHIKAZU IBE** (JAPANESE)

MANAGER

TEL : 063-187-0996

E-MAIL :

t.ibe@umt.mitsubishi-hc-capital.com

**MS. POONYANUCH TAIKEEREE** (THAI & ENGLISH)

CHIEF OF MARKETING

TEL: 065-986-1824

E-MAIL :

poonyanuch@umt.mitsubishi-hc-capital.com

**MS. NAIYANA MUANGMOON** (THAI & ENGLISH)

SENIOR OFFICER OF MARKETING

TEL : 061-403-8867

E-MAIL :

naiyana@umt.mitsubishi-hc-capital.com

**ADDRESS** : 173/35 ASIA CENTRE TOWER, 26<sup>TH</sup> FLOOR, SOUTH SATHORN ROAD,  
THUNGMAHAMEK, SATHORN, BANGKOK 10120

**TEL** : 02-163-6424

**URL** : WWW.U-MACHINE.CO.JP/TH

HOME PAGE



## SAMUTPRAKARN RESOURCE CENTER



## WAREHOUSE

▶ **SP: SAMUTPRAKARN RESOURCE CENTER**

**ADDRESS** : 55/19 M. 15 T. BANGSAOTHONG, A. BANGSAOTHONG, SAMUTPRAKARN 10570